


# DRE

doors catalogue

# 2021

edition1
















*Polecam  
Krzysztof Misi*

DRE Vetro E halifax oak



folding doors FOLDE 10 - white matt

- |   |  |
|---|--|
|  panel doors , DRE - Cell veneer             |  panel doors, CPL Laminate                      |
|  frame construction doors, DRE - Cell veneer |  entrance doors, CPL Laminate                   |
|  entrance doors, DRE - Cell veneer           |  technical doors, CPL Laminate                  |
|  technical doors, DRE - Cell veneer          |  glass  |
|  panel doors, 3D veneer                      |  panel doors Sara Eco                           |
|  frame construction doors , 3D veneer        |  smoke proof                                    |
|  entrance doors, 3D veneer                   |  EI   |
|  technical doors, 3D veneer                  |  secure   |
|  frame construction doors, Finish veneer     |  lacquered                                      |
|  painted                                     |  panel construction doors, synchronous laminate |
|  painted                                     |  frame construction doors, synchronous laminate |

# TABLE OF CONTENTS

## FRAME CONSTRUCTION DOORS

	Vetro E-Synchro.....	4
<b>NEW</b>	Semi.....	6
<b>NEW</b>	Estra.....	8
	Emena.....	10
	Verano.....	11
	Ena.....	12
	Triesta.....	13
	Solte.....	14
	Reva.....	15
	Nestor.....	16
	Auri.....	18
	Elsa.....	20
	Fosca.....	22
	Premium.....	24
	Piano.....	26
	Scala.....	28
	Verso.....	30
	Vetro A.....	32
	Vetro B.....	34
	Vetro D.....	36

## FRAME CONSTRUCTION DOORS PAINTED

	Berge.....	38
	Even.....	40
	Nestor.....	42
	Vetro E.....	44

## PANEL CONSTRUCTION DOORS

	Nova -Cell.....	46
<b>NEW</b>	Wood.....	48
	Claro.....	50
<b>NEW</b>	Grafi.....	52
	Lux.....	56
	Nova -Synchro.....	58
	Rivia.....	60
	Galeria Alu.....	62
	Arte B.....	64
	Carla.....	66
	Finea and Finea B.....	68
	Deco.....	70
	Modern.....	72
	Kanon.....	74
	Plus.....	76
	Standard.....	78
	Fano.....	80
	Arte.....	82

## PANEL DOORS PAINTED

	UNI.....	84
	Fargo.....	86
	BINITO.....	88

## PANEL CONSTRUCTION DOORS CPL LAMINATE

	Standard CPL.....	90
--	-------------------	----

## PANEL DOORS WITH VARIABLE HEIGHTS

	Standard 10.....	91
	Modern.....	92
	Plus.....	93

## SLIDING SYSTEM

	Wall mounted sliding system.....	94
	Glass doors sliding system.....	96
	wall-mounted sliding system SPAZIO CD.....	98
	Cassette tunnel cover PA.....	100

## FOLDING DOORS

	Folde.....	102
--	------------	-----

## DOORS WITH HIDDEN DOOR FRAME

	Sara Eco.....	104
	SARA ECO 2.....	107
<b>NEW</b>	DRE aluminum door frames.....	109

## SIDE PANELS

	Panel construction.....	110
	Frame construction.....	111

## TRANSOM LIGHTS AND SIDELIGHTS

	TRANSOM LIGHTS AND SIDELIGHTS.....	112
--	------------------------------------	-----

## DOOR LEAVES WITH SOUND INSULATION RATE

	Enter Acoustic Rw=32dB.....	114
--	-----------------------------	-----

## INTRIOR ENTRANCE PANEL CONSTRUCTION DOOR LEAVES

	Enter/Solid.....	116
	SOLID RC2.....	120

## TECHNICAL DOOR LEAVES

	Athos fire resistant door leaves EI30.....	122
	FORCA anti-burglary door leaves RC3, fire resistant.....	124
	Forca B RC3 anti-burglary door leaves.....	125
	Fire resistant door leaves OLIMP EI30 EI 60.....	126
	Metal fire resistant door frame.....	128

## GLASS DOORS

	Galla.....	129
<b>NEWS</b>	HARDWARE FOR GLASS DOORS.....	130
	Glass doors technical informations.....	131

## DOOR FRAMES

	fixed rebated door frames.....	132
	fixed non-rebated door frames.....	133
	Adjustable door frames.....	134
	Adjustable door frames with variable heights.....	136
	Adjustable non-rebated door frames.....	137
	Adjustable non-rebated door frames with variable heights.....	138
	Adjustable door frames with inverted rebate.....	139
	Adjustable non-rebated door frames with architrave panels.....	140
	Adjustable tunnel.....	142
	extension panel.....	144
	Metal fixed door frame.....	146
	Adjustable metal door frame.....	148
	hybrid steel door frame.....	150


## ACCESSORIES, ADDITIONAL INFORMATIONS

	Door handles and accessories.....	152
<b>NEW</b>	Veneer colours.....	159
<b>NEW</b>	graphic patterns in GRAFI collection.....	162
	Glass panes patterns.....	166
	Architraves and skirting boards.....	168
	Ventilation accessories and other.....	169
	Technical informations.....	170-178



## VETRO E - natural halifax oak


EGGER 3 mm laminates group 1



CLEAF 4 mm laminates group 2



Horizontal cross-section of VETRO E door leaf



### STANDARD OPTIONS

- » door leaf surface is coated with laminated, synchronous 3 mm or 4 mm thick board
- » frame made of MDF additionally reinforced with plywood
- » stabilising insert tubular chipboard
- » DECORMAT tempered laminated 8 mm glass pane with fixed width (regardless the width of the door leaf) or laminated black tempered 8 mm glass pane (opaque) with fixed width (regardless the door leaf width)

### NON-REBATED DOOR LEAF

- » edge without rebate in black colour
- » sockets for 2 hidden concealed Estetic 80 hinges in black colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black colour

### DOOR FRAMES

- » for door leaves from Vetro E collection in synchronous laminates, we recommend door frames finished in black matt colour


**NOTE:** There is no possibility to shorten door leaf.  
VETRO E - fulfill ventilation requirements for width "80" - "100" with ventilation undercut.

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » ventilation undercut

**NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




ventilation undercut



VETRO E  
gray halifax oak




VETRO E  
natural halifax oak




VETRO E  
Halifax Tabac Oak



VETRO E  
white elm



VETRO E  
natural elm




VETRO E  
dark elm



SEMI 1 black mat

Decor  
DRE-Cell



### STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » horizontal and middle stiles are made of MDF board, coated and lacquered with high gloss

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90” and „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

### REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE 57 PLN NET)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** There is possibility to make rebated "40" side panels. It is required to use together with SEMI rebated door leaf model door frames equipped with 3 hinges.

fig. 1





fig. 2



horizontal rail is lacquered with high gloss



SEMIO



SEMI1



SEMI2



SEMI3



ESTRA 5 - white mat

Decor  
DRE-Cell

 white mat	 light gray mat	 black matt
---	--	--

Decor  
Finish

 alpine white
--

\* in the finish foil available only rebated door leaf



### STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat MDF panels 16 mm

### OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane available in DRE-CELL colours
- » transparent glass in the DRE-Finish colours
- » holes for ventilation sleeves

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

### REBATED DOOR LEAF IN DRE-CELL AND FINISH COLOURS

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF AVAILABLE IN DRE-CELL (EXTRA CHARGE 57 PLN NET)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### SLIDING DOOR LEAF IN DRE-CELL

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1



straight edge

fig. 2



edge without rebate

**NOTE:** It is required to use together with rebated door leaf ESTRA door frames equipped with 3 hinges.

To ensure the highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base.



ESTRA 1

ESTRA 2

ESTRA 3

ESTRA 4

ESTRA 5

## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90” and „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF


- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1



straight edge

fig. 2



edge without rebate

**NOTE:** It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges. Left door unit is mirror reflection of the right door leaf unit.



EMENA 0

EMENA 1


EMENA 2

EMENA 3

EMENA 4

EMENA 5

## Decor DRE-Cell



\*\*\* decor available only in horizontal wood grain

### STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

### REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles


fig. 1



fig. 2



**NOTE:** It is required to use together with VERANO rebated door leaf model door frames equipped with 3 hinges.



Decor DRE-Cell

## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1



straight edge

fig. 2



edge without rebate

**NOTE:** It is required to use together with ENA rebated door leaf model door frames equipped with 3 hinges.



Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge
	caramel walnut	vintage oak	gray textured	black textured	marrone chestnut textured	black matt	light gray mat	evolve oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							

## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles


fig. 1



fig. 2



**NOTE:** It is required to use together with TRIESTA rebated door leaf model door frames equipped with 3 hinges. Left door unit is mirror reflection of the right door leaf unit.



Decor  
DRE-Cell

## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick (SOLTE 2 - 3)
- » flat panel insert (SOLTE 1 - 2)

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE 57 PLN NET)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** There is possibility to make rebated "40" side panels.  
**NOTE:** It is required to use together with SOLTE rebated door leaf model door frames equipped with 3 hinges.

fig. 1



fig. 2



SOLTE panel - 4 mm thick



SOLTE 1



SOLTE 2



SOLTE 3

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	anthracite elm	dark wenge	gray textured	black textured	marrone chestnut textured	black matt	light gray mat	evoke oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							

### STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat inserts (REVA 5-7)

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

### REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** There is possibility to make rebated "40" side panels.  
**NOTE:** It is required to use together with REVA rebated door leaf model door frames equipped with 3 hinges.

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90" and „100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




fig. 2



REVA 1

REVA 2


REVA 3

REVA 4

REVA 5  
1 glass pane, 5 inserts  
in the colour of the  
door leaf

REVA 6  
inserts in the color of  
the door leaf

REVA 7  
2 glass panes, 4 inserts  
in the color of the  
door leaf



Decor  
DRE-Cell

Decor 3D




NESTOR 10 white pine



**MONDO DOOR HANDLE WITH A BACKPLATE FOR 1 PLN NET**

(available only with rebated and non-rebated door leaf  
in NESTOR and ELSA collections in DRE-CELL and 3D decor)  
colour satin nickel





## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90” and „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1



fig. 2



**NOTE:** It is required to use together with NESTOR rebated door leaf model door frames equipped with 3 hinges.





AURI 0 - white mat

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	anthracite elm	dark wenge	gray textured	black textured	marrone chestnut textured	black matt	light gray mat	evoked oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							

## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat inserts (AURI 6-8)

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90” and „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1





fig. 2



**NOTE:** There is possibility to make rebated "40" side panels.  
It is required to use together with AURI rebated door leaf model door frames equipped with 3 hinges.






ELSA A3 and ELSA 0 - sand oak



**MONDO DOOR HANDLE WITH A BACKPLATE  
FOR 1 PLN NET**

(available only with rebated and non-rebated door leaf  
in NESTOR and ELSA collections in DRE-CELL and 3D decor)  
colour satin nickel



## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat panel insert (ELSA A), profiled 19 mm MDF panels (ELSA B)

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** There is possibility to make rebated "40" side panels. It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges.

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90" and „100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




fig. 2



ELSA collection is divided into A and B:  
A - flat panel insert in door leaf colour  
B - 19 mm convex panel insert in door leaf colour



cross-section of ELSA A



cross-section of ELSA B



ELSA A




ELSA A1



ELSA A2



ELSA A3



ELSA A4



ELSA B5




ELSA B6



ELSA B7



ELSA O



ELSA B



Fosca 3 - dark walnut textured

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	anthracite elm	dark wenge	gray textured	black textured	marrone chestnut textured	black matt	light gray mat	evoked oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							

### STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat panel insert coated with silver laminate (FOSCA 1-3) or in door leaf colour (FOSCA 4-6)

### OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

### REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

NOTE: There is possibility to make rebated „40” side panels.

NOTE: It is required to use together with FOSCA rebated door leaf model door frames equipped with 3 hinges.

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90” and „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




straight edge


fig. 2



edge without rebate



FOSCA 1-3  
(4mm HDF insert coated with silver laminate)



FOSCA 4-6  
(4mm HDF insert coated in door leaf colour)



FOSCA 0  
(5 glass panes)

FOSCA 1  
(3 glass panes, 2 HDF panels)

FOSCA 2  
(1 glass pane, 4 HDF panels)

FOSCA 3  
(5 HDF panels)

FOSCA 4  
(3 glass panes, 2 HDF panels)

FOSCA 5  
(1 glass pane, 4 HDF panels)

FOSCA 6  
(5 HDF panels)



Premium 0 with a side panel - vintage oak

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge
	evoked oak	light gray mat	black matt	marrone chestnut textured	gray textured	black textured	caramel walnut	vintage oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							



## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick

## OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** There is possibility to make rebated „40” side panels.  
**NOTE:** It is required to use together with PREMIUM rebated door leaf model door frames equipped with 3 hinges.

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90” and „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



straight edge

fig. 2



edge without rebate

In PREMIUM 12 and 13 models, from the top edge there are used two glass panes.



PREMIUM 0-3  
(4 mm glass pane)



\* PREMIUM 4-7, 12  
(4 mm HDF inserts in door leaf colour)



\*\* PREMIUM 8-11, 13  
(4mm HDF inserts , coated with a silver laminate)



PREMIUM 0  
PREMIUM 4\*  
PREMIUM 8\*\*



PREMIUM 1  
PREMIUM 5\*  
PREMIUM 9\*\*



PREMIUM 2  
PREMIUM 6\*  
PREMIUM 10\*\*



PREMIUM 3  
PREMIUM 7\*  
PREMIUM 11\*\*



PREMIUM 12  
2 glass panes, 6  
inserts in the colour of  
the door leaf



PREMIUM 13  
2 glass panes, 6  
inserts coated with a  
silver laminate



PIANO 0 - Polish oak 3D

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	anthracite elm	dark wenge	gray textured	black textured	marrone chestnut textured	black matt	light gray mat	evoke oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							

## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » 16 mm convex panel (PIANO 1-2, PIANO 5-6)  
or 19 mm convex panel (PIANO 9-12)

## OPTION WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90” and „100”
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF


- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** There is possibility to make rebated „40” side panels.  
It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges.

fig. 1



fig. 2



panel PIANO 9-12






SCALA 0 - ebony

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	anthracite elm	dark wenge	gray textured	black textured	marrone chestnut textured	black matt	light gray mat	evoked oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							

PRIMA DOOR HANDLE WITH A BACKPLATE  
FOR 1 PLN NET

(available only rebated and non-rebated door leaf in SCALA collection in DRE-Cell and 3D decor)  
colour satin nickel



## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » flat panel insert (SCALA A), 19 mm profiled MDF panels (SCALA B)

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** There is possibility to make rebated "40" side panels. It is required to use together with EMENA rebated door leaf model door frames equipped with 3 hinges.

SCALA collection is divided into A and B:  
A - flat panel insert in door leaf colour  
B - convex panel insert in door leaf colour

fig. 1



fig. 2



panel SCALA A, A1-A7



panel SCALA B, B1-B7





VERSO 0 - white pine

Decor  
DRE-Cell



## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1




fig. 2



VERSO 0



VERSO 1



VERSO 2



VERSO 3



VERSO 4

\* Note: selected configurations of the VERSO model are available as stock products, rebated in white matt.




VETRO A5 white pine

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	anthracite elm	dark wenge	gray textured	black textured	marrone chestnut textured	black matt	light gray mat	evoked oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							


NOTE: It is possible to order non-rebated door leaf in Dre-Cell white mat colour

cross-section of stile in non-rebated door leaf




In VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis.

Horizontal cross-section of door leaf VETRO A1-A4, A12-A15



Horizontal cross-section of door leaf VETRO A5, A10 - A11





## STANDARD OPTIONS

- » frame made of MDF additionally reinforced with plywood
- » stabilising insert tubular chipboard
- » 8 mm tempered glass

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » there is possibility to make ventilation undercut (A)
- » door leaf with revers positioning of glass pane
- » VETRO A1 four possible types of glass pane: DECORMAT, DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass

## REBATED DOOR LEAF


- » R5 edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

### ONLY WHITE MAT


- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

fig. 1



edge  
R5

fig. 2




edge  
without  
rebate

## OPTIONS AVAILABLE WITH EXTRA CHARGE - AVAILABLE ONLY IN WHITE MAT DRE-CELL DECOR

- » non-rebated door leaf
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

ventilation undercut (A)



## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** Door leaf VETRO A in sliding version is not complementary product to sliding system hidden in the wall PA.

**NOTE:** There is no possibility to shorten door leaf.

**NOTE:** It is required to use together with VETRO rebated door leaf model door frames equipped with 3 hinges.

VETRO A - „80“-„100“ - with ventilation undercut fulfill ventilation requirements.



VETRO A1

VETRO A2

VETRO A3

VETRO A4

VETRO A5

VETRO A10



VETRO A11

VETRO A12

VETRO A13

VETRO A14


VETRO A15




VETRO B11 - black structure

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	marrone chestnut textured	black matt	light gray mat	evoke oak	*** decor available only in horizontal wood grain	
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D						

NOTE: It is possible to order non-rebated door leaf in Dre-Cell white mat colour



In VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis.



## STANDARD OPTIONS

- » frame made of MDF additionally reinforced with plywood
- » stabilising insert tubular chipboard
- » 8 mm tempered glass

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » there is possibility to make ventilation undercut (B)
- » VETRO B1 four possible types of glass pane: DECORMAT, DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass
- » door leaf with revers positioning of glass pane

## REBATED DOOR LEAF

- » R5 edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

### ONLY WHITE MAT

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

fig. 1



edge R5

fig. 2



edge without rebate

## OPTIONS AVAILABLE WITH EXTRA CHARGE - AVAILABLE ONLY IN WHITE MAT DRE-CELL DECOR

- » non-rebated door leaf
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

ventilation undercut (B)



VETRO B - doesnt fulfill ventilation requirements

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** Door leaf VETRO B in sliding version with "70" width is not complementary product to sliding system hidden in the wall PA.

**NOTE:** There is no possibility to shorten door leaf.

**NOTE:** It is required to use together with VETRO rebated door leaf model door frames equipped with 3 hinges.

VETRO B - doesnt fulfill ventilation requirements.






VETRO D1 - anthracite elm

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm
	anthracite elm	dark wenge	gray textured	black textured	marrone chestnut textured	black matt	light gray mat	evoke oak	*** decor available only in horizontal wood grain			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							


NOTE: It is possible to order non-rebated door leaf in Dre-Cell white mat colour

In VETRO collection glass panes have obverse and reverse sides (important in juxtaposition of doors opening inversely). Presented horizontal cross-sections shows the arrangement of glass pane in the obverse version. When choosing a reverse version, glass pane is rotated by 180° around the vertical axis.

cross-section of stile in non-rebated door leaf



Horizontal cross-section of VETRO D1



## STANDARD OPTIONS

- » frame made of MDF additionally reinforced with plywood: narrow element with fixed width, wide element with different width
- » stabilising insert tubular chipboard
- » 8 mm tempered glass with fixed width, (regardless of the door leaf width)

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » door leaf with revers positioning of glass pane

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » ventilation undercut
- » black tempered laminated glass pane

## REBATED DOOR LEAF

- » R5 edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

### ONLY WHITE MAT

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

fig. 1



edge  
R5

fig. 2




edge  
without  
rebate

## OPTIONS AVAILABLE WITH EXTRA CHARGE - AVAILABLE ONLY IN WHITE MAT DRE-CELL DECOR

- » non-rebated door leaf
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

ventilation undercut



## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** Door leaf VETRO D in sliding version is not complementary product to sliding system hidden in the wall PA.

**NOTE:** There is no possibility to shorten door leaf. VETRO D - fulfill ventilation requirements for width "80" - "100" with ventilation undercut.

**NOTE:** It is required to use together with VETRO rebated door leaf model door frames equipped with 3 hinges.





BERGE 6 - white

Decor



white acrylic UV varnish - RAL 9003  
ecru - RAL 9001  
latte - Flugger 4362, NCS S1505-Y50R  
ashen - RAL 7035

### STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

### REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

fig. 1




fig. 2



**NOTE:** It is required to use together with BERGE rebated door leaf model door frames equipped with 3 hinges.

To ensure the highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base.





EVEN 0 - ashen

Decor



white acrylic UV varnish - RAL 9003  
 ecru - RAL 9001  
 latte - Flugger 4362, NCS S1505-Y50R  
 ashen - RAL 7035





### STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

### REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** It is required to use together with rebated door leaf door frames equipped with 3 hinges.

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



fig. 2



To ensure the highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base.





## NESTOR 3 - ashen

Decor



white acrylic UV varnish - RAL 9003  
ecru - RAL 9001  
latte - Flugger 4362, NCS S1505-Y50R  
ashen - RAL 7035

## STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » stiles and rails made of MDF
- » glass pane MAT DRE 4 mm thick
- » profiled 19mm MDF panels

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane
- » holes for ventilation sleeves

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** It is required to use together with NESTOR rebated door leaf model door frames equipped with 3 hinges.

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel ventilation sleeves
- » plastic ventilation sleeves
- » non-rebated door leaf
- » door leaf „90" and „100"
- » ventilation undercut
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



fig. 2



panel  
NESTOR

To ensure the highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base.



NESTOR 1



NESTOR 2



NESTOR 3



NESTOR 4



NESTOR 5



NESTOR 6



NESTOR 10



NESTOR 11




VETRO E - ashen

Decor painted



white acrylic UV varnish - RAL 9003  
 ecru - RAL 9001  
 latte - Flugger 4362, NCS S1505-Y50R  
 ashen - RAL 7035

Horizontal cross-section of VETRO E door leaf



## STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » frame made of MDF additionally reinforced with plywood: narrow element with fixed width, wide element with different width
- » stabilising insert tubular chipboard
- » DECORMAT tempered laminated 8 mm glass pane with fixed width (regardless the width of the door leaf) or laminated black tempered 8 mm glass pane (opaque) with fixed width (regardless the door leaf width)

## NON-REBATED DOOR LEAF

- » edge without rebate **fig.1**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

**NOTE:** There is no possibility to shorten door leaf.

VETRO E - fulfill ventilation requirements for width "80" - "100" with ventilation undercut.

To ensure the highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base.

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- » ventilation undercut





fig. 1



edge  
without  
rebate



VETRO E  
white  
(black glass pane)



VETRO E  
ecru  
(black glass pane)



VETRO E  
latte  
(DECORMAT glass  
pane)




VETRO E  
ashen  
(DECORMAT glass  
pane)



NOVA 10 - antique copper

Decor



### STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane MAT DRE 4 mm thick
- » edgeband in black colour

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves
- » three hinges - applies to rebated door leaf
- » DECORMAT BROWN, DECORMAT GRAPHITE glass pane and transparent glass

### REBATED DOOR LEAF

- » straight edge fig. 1
- » 2 silver screw-in pivot hinges
- » single-point, silver mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE 57 PLN NET)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black colour

### SLIDING SYSTEM DOOR LEAF


- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

### DOOR FRAMES

- » for door leaves from NOVA collection it is recommended to use door frames in the same colour as door leaf or in black matt decor

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90", "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » there is possibility to purchase black or stainless steel BULAJ separately
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)



Possible model options:

M1 - FULL DOOR LEAF, WITHOUT GLAZING

NOVA 20 - MDF bulaj

NOVA 30 - STEEL BULAJ (AVAILABLE ONLY MAT OR TRANSPARENT GLASS PANE)



NOVA 40 - MDF frame in black matt foil

steel BULAJ NOVA 30 - in the steel or black colour. Available only MAT or transparent glass pane.



WOOD M1 design W2 - dark oak

Decor



**Model options with possibility to choose graphic patterns W1-W4 :**

- M1 - full door leaf, without glazing
- M2 - MDF bulaj in black matt decor
- M3 - steel BULAJ in the steel or black colour. (available only MAT or transparent glass pane)
- M4 - MDF frame in black matt decor



### STANDARD OPTIONS

- » door leaf surface coated with the primer material, overprinted with the pattern and varnished
- » matt lacquer
- » door leaf frame made of MDF
- » stabilising insert honeycomb
- » glass pane MAT DRE 4 mm thick

### NON-REBATED DOOR LEAF

- » edge without rebate in the colour of the door leaf
- » sockets for 2 hidden concealed Estetic 80 hinges in steel colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in steel colour

### DOOR FRAMES

- » for the door leaves from the WOOD collection, we recommend to use lacquered frames made in the DRE-PRINT technology in the colour of door leaf unit

### OPTION WITHOUT ADDITIONAL CHARGE

- » holes for ventilation sleeves
- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane


### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf „100”
- » stabilising insert tubular chipboard
- » ventilation undercut
- » **NOTE** : third Estetic 80 hinge for non-rebated doors (extra payment is added to the price of the door frame)
- » aluminum ventilation grille
- » steel ventilation sleeves

fig. 1



edge  
without  
rebate



W1

W2

W3

W4



CLARO M1

Decor



white  
lacquered



black  
lacquered

### HIGH GLOSS LACQUER AS STANDARD

- » door leaf surface is coated with primer material and varnished
- » gloss lacquer
- » door leaf frame made of MDF
- » core made of perforated chipboard
- » glass pane MAT DRE 4 mm thick

### MATT LACQUER AS STANDARD

- » door leaf surface is coated with primer material and varnished
- » matt lacquer
- » door leaf frame made of MDF
- » stabilising insert "honeycomb"
- » glass pane MAT DRE 4 mm thick

### NON-REBATED DOOR LEAF

- » edge without rebate in white or black colour fig.1
- » sockets for 2 hidden concealed Estetic 80 hinges in black or white colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black or white colour

### DOOR FRAMES

- » for DRE-CLARO collection , we recommend to use white, black lacquered door frames made in DRE-PRINT technology, or door frames in black matt

### OPTION WITHOUT ADDITIONAL CHARGE

- » holes for ventilation sleeves
- » glass pane DECORMAT BROWN, DECORMAT GRAPHITE and transparent glass pane


### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf „100”
- » ventilation undercut
- » stabilising insert tubular chipboard in matt lacquered door leaves
- » **NOTE** : third Estetic 80 hinge for non-rebated doors (extra payment is added to the price of the door frame)
- » aluminum ventilation grille
- » steel ventilation sleeves

fig. 1



edge without rebate



white edgeband, white lock

black edgeband, black lock



M 1 - CLARO

M 2 - CLARO

M 3 - CLARO

M 4 - CLARO

Possible model options:

- M1 - full door leaf, without glazing
- M2 - MDF bulaj in black matt decor
- M3 - steel bulaj (matt or transparent glass pane)
- M4 - MDF frame in black matt decor

steel BULAJ M3 - in the steel or black colour. Available only MAT or transparent glass pane.



GRAFI M4-G2

### STANDARD HIGH GLOSS LACQUERED DOOR LEAF

- » door leaf surface coated with the primer material, overprinted with the pattern and varnished (colour of the door leaf primed surface - white)
- » high gloss lacquer
- » door leaf frame made of MDF
- » stabilising insert tubular chipboard
- » MAT DRE glass pane 4 mm thick (model M2, M4)

### STANDARD MATT LACQUERED DOOR LEAF

- » door leaf surface coated with the primer material, overprinted with the pattern and varnished (colour of the door leaf primed surface - white)
- » matt lacquer
- » door leaf frame made of MDF
- » stabilising insert "honeycomb"
- » MAT DRE glass pane 4 mm thick (model M2, M4)

### NON-REBATED DOOR LEAF

- » edge without rebate in white or black colour fig.1
- » sockets for 2 hidden concealed Estetic 80 hinges in black or white colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black or white colour

### DOOR FRAMES

- » for GRAFI collection , we recommend to use white, black lacquered door frames made in DRE-PRINT technology, or door frames in black matt

### OPTION WITHOUT ADDITIONAL CHARGE

- » holes for ventilation sleeves
- » DECORMAT BROWN, DECORMAT GRAPHITE glass pane and transparent glass

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf „100”
- » ventilation undercut
- » stabilising insert tubular chipboard in matt lacquered door leaves
- » **NOTE : third Estetic 80 hinge for non-rebated doors (extra payment is added to the price of the door frame)**
- » aluminum ventilation grille
- » steel ventilation sleeves

fig. 1



edge without rebate




white edgeband, white lock



black edgeband, black lock

### Model options with possibility to choose graphic patterns G1-G25 :



- M1 - full door leaf, without glazing
- M2 - MDF bulaj in black matt decor
- M3 - steel BULAJ in the steel or black colour. (available only MAT or transparent glass pane)
- M4 - MDF frame in black matt decor

Graphic patterns available on pages 54-55, 162-165.




G1



G2



G3



G4



G5



G6




G7




G8



G9




G10




G11



G12



G13



G14



G15



G16



G17 \*



G18 \*



G19



G20 \*



GRAFI M1 G16



G21



G22



G23



G24 \*



G25

\* the pattern has versions for the right and left door leaf


Door leaf width: single leaf door "60" ÷ "100".

Technical informations: door frames: pp. 137, accessories: pp.152-158 and 169, door leaf: pp. 170-178.



LUX 10 birch

Decor





### STANDARD OPTIONS

- » door leaf surface is coated with primer material in the colour of decor and varnished
- » high gloss lacquer
- » door leaf frame made of MDF
- » core made of perforated chipboard
- » MAT DRE glass pane 4 mm thick (model LUX 20, LUX 40)

### NON-REBATED DOOR LEAF

- » edge without rebate in black colour fig.1
- » sockets for 2 hidden concealed Estetic 80 hinges in black colour (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black colour

### DOOR FRAMES

for door leaves from LUX collection we recommend to use door frames lacquered in the same colour as the door leaf unit or in black matt decor

### OPTION WITHOUT ADDITIONAL CHARGE

- » holes for ventilation sleeves
- » DECORMAT BROWN, DECORMAT GRAPHITE glass pane and transparent glass

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf „100”
- » ventilation undercut
- NOTE: third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)**
- » aluminum ventilation grille
- » steel ventilation sleeves

fig. 1



edge  
without  
rebate



black edgeband,  
black lock



LUX 10

LUX 20

LUX 30


LUX 40

steel BULAJ LUX 30- in the steel or black colour. Available only MAT or transparent glass pane.




Nova 10 - natural halifax oak

EGGER 3 mm  
laminates  
group 1



CLEAF 4 mm  
laminates  
group 2



### STANDARD OPTIONS

- » door leaf surface is coated with laminated, synchronous 3 mm or 4 mm thick board
- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane MAT DRE 4 mm thick
- » edgeband in black colour

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves
- » three hinges - applies to rebated door leaf
- » DECORMAT BROWN, DECORMAT GRAPHITE glass pane and transparent glass

### REBATED DOOR LEAF

- » straight edge fig. 1
- » 2 silver screw-in pivot hinges
- » single-point, silver mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate fig. 2
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic simple key lock, bathroom lock, patent insert lock or economic magnetic lock in black colour

### SLIDING SYSTEM DOOR LEAF

- » edge without rebate fig. 2
- » socket for hook lock and/or for handles

### DOOR FRAMES

- » for door leaves from NOVA collection it is recommended to use door frames in black matt decor


### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » "100" door leaves
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » there is possibility to purchase black or stainless steel BULAJ separately
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



fig. 2



steel BULAJ NOVA 30 - in the steel or black colour. Available only MAT or transparent glass pane.



RIVIA 10 - white mat / vintage oak

Decor DRE-Cell	white mat	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	beech**	alder**	golden oak textured	walnut	caramel walnut	dark walnut textured
	gray oak textured	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak	marrone chestnut textured	evoked oak	light gray mat			
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D								

\*\*while stock last

### STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert tubular chipboard
- » glass pane white bark 4 mm thick

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

### REBATED DOOR LEAF

- » straight edge, flat uniform glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat uniform glazing bar , **rys. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat uniform glazing bar **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** Door leaf is coated with decor white mat. There is possibility to choose middle stripe in the selected decor. Edgeband is in the colour of selected decor. RIVIA 50 - BULAJ is coated with silver laminate.

By default , the configurator selects the colour of the door frame in the same colour as the middle strip of the door leaf unit.

\*\*\* In RIVIA 70 and 120 model, colour of the selected decor has vertical wood grain, except of decor gray oak texture. In remaining models decors have horizontal wood grain.

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf)  
RIVIA 20, 30  
RIVIA 40, 50
- » white frost VSG 22.1 safe, complex glass pane  
RIVIA 20, 30  
RIVIA 40, 50
- » non-rebated door leaf
- » door leaf width "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1





fig. 2






GALERIA ALU 20 - black textured

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut																
Decor DRE-Cell 2	white mat	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***									
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak***	marrone chestnut textured	evoke oak	light gray mat											
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D															
CPL Laminate *	white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak													
	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut														

\* laminate available in models 10, 20, 30, 50, 60  
 \*\*while stock last  
 \*\*\* decor available only in horizontal wood grain



aluminum marquetry elements with cross-section 8x2 mm installed on both sides in one surface of door leaf

## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert tubular chipboard
- » edge with radius R 2,5 mm used in 0,15-0,20 mm CPL laminates
- » aluminum marquetry elements with cross-section 8x2mm
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » straight edge or edge with radius R 2,5 mm made in directforming (in CPL laminate) **fig 3**

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock


## SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » socket for hook lock and/or for handles

**NOTE:** Passive door leaf GALERIA ALU 20,21,22,23,24,25,60 are not equipped with aluminum marquetry elements in uniform wood grain.

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf)  
GALERIA ALU 11, 13, 23  
GALERIA ALU 21  
GALERIA ALU 24, 25  
GALLERIA ALU 12, 22
- » white frost VSG 22.1 safe, complex glass pane  
GALERIA ALU 11  
GALERIA ALU 13, 23  
GALERIA ALU 21  
GALERIA ALU 24  
GALERIA ALU 25  
GALERIA ALU 12  
GALERIA ALU 22
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)





ARTE B 60 - caramel walnut

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut																
Decor DRE-Cell 2	white mat	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	evoke oak								
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak***	marrone chestnut textured	light gray mat												
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D															

\*\*while stock last

\*\*\* decor available only in horizontal wood grain



## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar , **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » socket for hook lock and/or for handles

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to the door leaf)  
ARTE B 10, 20, 30  
ARTE B 40, 50  
ARTE B 60
- » white frost VSG 22.1 safe, complex glass pane  
ARTE B 10, 20, 30  
ARTE B 40, 50  
ARTE B 60
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



straight edge



flat glazing bar

fig. 2



edge without rebate



flat glazing bar





CARLA 10 bleached oak textured

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut																	
Decor DRE-Cell 2	white mat	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	evoke oak									
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak***	marrone chestnut textured	light gray mat													
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D																

\*\*while stock last

\*\*\* decor available only in horizontal wood grain

## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » straight edge, flat glazing bar, 19 mm MDF profiled panels **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels **fig. 2**
- » socket for hook lock and/or for handles

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)  
CARLA 20  
CARLA 30  
CARLA 40
- » white frost VSG 22.1 safe, complex glass pane  
CARLA 20  
CARLA 30  
CARLA 40
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1





fig. 2



CARLA 10

CARLA 20

CARLA 30

CARLA 40



## FINEA 40 vintage oak

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut																	
Decor DRE-Cell 2	white mat	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured	evoke oak									
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak	marrone chestnut textured	light gray mat													
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D																

\*\*while stock last

## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert tubular chipboard
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » socket for hook lock and/or for handles

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)  
FINEA 20, FINEA B 20  
FINEA 30, 50, 60, FINEA B 30, 50, 60
- » white frost VSG 22.1 safe, complex glass pane  
FINEA 20, FINEA B 20  
FINEA 30, FINEA B 30  
FINEA 50, 60, FINEA B 50, 60
- » non-rebated door leaf
- » door leaf width "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1





fig. 2



FINEA 10  
FINEA B 10\*



FINEA 20  
FINEA B 20\*



FINEA 30  
FINEA B 30\*



FINEA 40  
FINEA B 40\*



FINEA 50  
FINEA B 50\*



FINEA 60  
FINEA B 60\*

\* FINEA B panels available only with horizontal wood grain



panels wood grain in FINEA



panels horizontal wood grain  
FINEA B



DECO 20 - toffee oak

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut																	
Decor DRE-Cell 2	white mat*	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	evoked oak									
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak***	marrone chestnut textured	light gray mat*													
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D																
CPL laminate	white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak														
	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut															

\* decor is not available in door leaf model with "karnies" edge  
 \*\* while stock last  
 \*\*\* decor available only in horizontal wood grain

**STANDARD OPTIONS**

- » door leaf frame made of softwood
- » edge with radius R 2,5 mm used in 0,15-0,20 mm CPL laminates
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick
- » flat 4mm HDF panel in DECO 40

**OPTIONS WITHOUT ADDITIONAL CHARGE**

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

**REBATED DOOR LEAF**

- » optional: straight edge, flat glazing bar fig. 1 or "karnies" edge, rounded glazing bar fig. 2
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » rounded glazing bar, straight edge or edge with radius R 2,5 mm made in directforming (in CPL laminate)

**NON- REBATED DOOR LEAF (EXTRA CHARGE)**




- » edge without rebate, flat glazing bar fig. 3
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » edge without rebate, rounded glazing bar (in CPL laminate) fig. 6

**SLIDING SYSTEM DOOR LEAF**

- » edge without rebate and optional: flat glazing bar fig.3 or rounded glazing bar fig. 4
- » socket for hook lock and/or for handles
- » edge without rebate, rounded glazing bar (in CPL laminate) fig. 6

**OPTIONS AVAILABLE WITH EXTRA CHARGE**

- » glass pane MAT DRE, DECORMAT BROWN , DECORMAT GRAPHITE (applies to door leaf) DECO 10, 20, 30
- » white frost VSG 22.1 safe, complex glass pane DECO 10, 20, 30
- » non-rebated door leaf
- » door leaf „90” and „100”
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)



edge R 2,5 mm in CPL laminate



MODERN 30 - black textured

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut																	
Decor DRE-Cell 2	white mat*	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	evoke oak									
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak***	marrone chestnut textured	light gray mat*													
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D																

\* decor is not available in door leaf model with "karnies" edge  
 \*\*while stock last  
 \*\*\* decor available only in horizontal wood grain



## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » optional: straight edge, flat glazing bar, flat 4 mm HDF panels **fig. 1** or „karnies” edge, rounded glazing bar, profiled 19 mm MDF panels **fig. 2**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar, flat 4 mm HDF panels **fig. 3**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate and optional: flat glazing bar, flat 4 mm HDF panels **fig. 3** or rounded glazing bar, profiled 19 mm MDF panels **fig. 4**
- » socket for hook lock and/or for handles

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf)  
MODERN 20  
MODERN 30  
MODERN 40  
MODERN 50
- » white frost VSG 22.1 safe, complex glass pane  
MODERN 20  
MODERN 30  
MODERN 40  
MODERN 50
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




fig. 2




fig. 3





fig. 4




MODERN 10




MODERN 20



MODERN 30



MODERN 40



MODERN 50



KANON 10 - American walnut

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut																	
Decor DRE-Cell 2	white mat*	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	evoke oak									
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak***	marrone chestnut textured	light gray mat*													
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D																

\* decor is not available in door leaf model with "karnies" edge  
 \*\*while stock last  
 \*\*\* decor available only in horizontal wood grain

## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » optional: straight edge, flat glazing bar, flat 4 mm HDF panels **fig. 1** or „karnies” edge, rounded glazing bar, profiled 19 mm MDF panels **fig. 2**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar, flat 4mm HDF panels **fig. 3**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate and optional: flat glazing bar, flat 4 mm HDF panels **fig. 3** or rounded glazing bar, profiled 19 mm MDF panels **fig. 4**
- » socket for hook lock and/or for handles

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE, (applies to door leaf)  
KANON 20  
KANON 30  
KANON 40
- » white frost VSG 22.1 safe, complex glass pane  
KANON 20  
KANON 30  
KANON 40
- » stabilising insert tubular chipboard
- » non-rebated door leaf
  - » door leaf "90" and "100"
  - » ventilation undercut
  - » plastic ventilation grille
  - » aluminum ventilation grille
  - » cover-up strip for double leaf non-rebated door
  - » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




fig. 2




fig. 3








fig. 4



KANON 10



KANON 20



KANON 30



KANON 40



PLUS 30 - white matt

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut																	
Decor DRE-Cell 2	white mat*	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	evoked oak									
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak***	marrone chestnut textured	light gray mat*													
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D																

\* decor is not available in door leaf model with "karnies" edge  
 \*\*while stock last  
 \*\*\* decor available only in horizontal wood grain

## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » optional: straight edge, flat glazing bar, flat 4 mm HDF panels fig. 1 or "karnies" edge, rounded glazing bar, flat 4 mm HDF panels fig. 2
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar, flat 4 mm HDF panels fig. 3
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat 4 mm HDF panels and optional: flat glazing bar, fig. 3 or rounded glazing bar fig. 4
- » socket for hook lock and/or for handles

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)  
PLUS 20  
PLUS 40, 50, 60, 70, 80  
PLUS 30
- » white frost VSG 22.1 safe, complex glass pane  
PLUS 20  
PLUS 30  
PLUS 40  
PLUS 70, 80
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




fig. 2



fig. 3






fig. 4





STANDARD 10 - evoke oak

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut																	
Decor DRE-Cell 2	white mat*	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	evoke oak									
	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak***	marrone chestnut textured	light gray mat*													
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D																

\* decor is not available in door leaf model with "karnies" edge  
 \*\*while stock last  
 \*\*\* decor available only in horizontal wood grain

## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » optional: straight edge, flat glazing bar fig.1 or "karnies" edge, rounded glazing bar, fig. 2
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » **Orders, in investment standard, will be executed after consultations with Untypical Orders Department. By investment standard, it is defined door frame passage, with opened door leaf at 90 degree, respectively for interior doors: "80" 800 mm, "90" 900 mm.**

## NON- REBATED DOOR LEAF (EXTRA CHARGE)


- » edge without rebate, flat glazing bar fig.3
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate and optional: flat glazing bar fig. 3 or rounded glazing bar fig.4
- » socket for hook lock and/or for handles

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)  
STANDARD 20, 20s, 40, 40s, BULAJ MDF  
STANDARD 50, 50s  
STANDARD 30, 30s  
STANDARD 60
- » white frost VSG 22.1 safe, complex glass pane  
STANDARD 20, 20s, 40, 40s  
STANDARD 50, 50s, BULAJ MDF  
STANDARD 30, 30s  
STANDARD 60
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » "110" rebated door leaves (available in STANDARD 10)
- » additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door door leaf price x 2
- » there is possibility to purchase metal BULAJ separately in black or steel colour
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)



additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of tubular chipboard and fixed door frame)

\* available only MAT or transparent glass pane



## FANO 10 - elm

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut														
Decor DRE-Cell 2	white mat*	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge				
	gray textured	black textured	toffee oak ***	marrone chestnut textured	evoke oak	light gray mat*												

\* decor is not available in door leaf model with "karnies" edge

\*\*while stock last

\*\*\* decor available only in horizontal wood grain



## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » "karnies" edge, rounded glazing bar, profiled 19mm MDF panel **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar, 19 mm MDF profiled panels **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar or flat glazing bar, profiled 19 mm MDF panel **fig. 3**
- » socket for hook lock and/or for handles

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)  
FANO 20, 20s  
FANO 30, 30s
- » white frost VSG 22.1 safe, complex glass pane  
FANO 20, 20s  
FANO 30, 30s
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1




fig. 2





fig. 3



FANO 10

FANO 20

FANO 20s

FANO 30

FANO 30s



ARTE 40 - sand oak

<b>Decor DRE-Cell 1</b>	white (textured)	beech**	alder**	walnut														
<b>Decor DRE-Cell 2</b>	white mat*	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge				
	gray textured	black textured	toffee oak ***	marrone chestnut textured	evoke oak	light gray mat*												
										<b>Decor 3D</b>								
										grand oak	elm	american walnut	ebony	polish oak 3D				

\* decor is not available in door leaf model with "karnies" edge

\*\*while stock last

\*\*\* decor available only in horizontal wood grain

## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » "karnies" edge, rounded glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)


- » edge without rebate, flat glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate, rounded glazing bar or flat glazing bar **fig. 3**
- » socket for hook lock and/or for handles

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)  
ARTE 10-30, 90  
ARTE 40, 50  
ARTE 80
- » white frost VSG 22.1 safe, complex glass pane  
ARTE 10, 20, 30  
ARTE 40, 50  
ARTE 80  
ARTE 90
- » stabilising insert tubular chipboard
- » non-rebated door leaf
- » door leaf "90" and "100"
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)





## UNI 10 - ashen

Decor



white acrylic UV varnish - RAL 9003  
 ecru - RAL 9001  
 latte - Flugger 4362, NCS S1505-Y50R  
 ashen - RAL 7035

### STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

### REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

### DOOR LEAF WITH INVERTED REBATE (EXTRA CHARGE)

- » active single door leaf
- » straight edge **fig 3**
- » sockets for 2 hidden concealed Tectus 240 3D hinges (door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### OPTIONS AVAILABLE WITH EXTRA CHARGE


- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf BULAJ MDF)
- » white frost VSG 22.1 safe, complex glass pane BULAJ MDF
- » stabilising insert tubular chipboard
- » door leaf "90" and "100"
- » ventilation undercut
- » non-rebated door leaf
- » door leaf with inverted rebate
- » cover-up strip for double leaf non-rebated door
- » plastic ventilation grille
- » aluminum ventilation grille
- » double leaf door leaf price x2
- » there is possibility to purchase metal BULAJ separately in black or steel colour
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



straight edge

fig. 3



edge with inverted rebate

fig. 2



edge without rebate



black steel bulaj \*



Metal Bulaj \*

\* available only MAT or transparent glass pane



UNI 10



BULAJ MDF



BULAJ metal



FARGO 10 - ashen

Decor



white acrylic UV varnish - RAL 9003  
 ecru - RAL 9001  
 latte - Flugger 4362, NCS S1505-Y50R  
 ashen - RAL 7035

## STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » door leaf frame made of softwood
- » stabilising insert "honeycomb"

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves
- » three hinges - applies to rebated door leaf

**NOTE:** To ensure highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base.

## REBATED DOOR LEAF

- » straight edge **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON-REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate **fig. 2**
- » socket for hook lock and/or for handles

## DOOR LEAF WITH INVERTED REBATE (EXTRA CHARGE)

- » active single door leaf
- » straight edge **fig. 3**
- » sockets for 2 hidden concealed Tectus 240 3D hinges (door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door leaf "90" and "100"
- » core made of perforated chipboard
- » ventilation undercut
- » non-rebated door leaf
- » door leaf with inverted rebate
- » cover-up strip for double leaf non-rebated door
- » plastic ventilation grille
- » aluminum ventilation grille
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)

fig. 1



fig. 2




fig. 3



type of the milling in FARGO collection



FARGO 10



FARGO 20



FARGO 30



FARGO 40



FARGO 50



FARGO 60



BINITO 21 white acrylic UV lacquer

Decor



white acrylic UV varnish - RAL 9003  
 ecru - RAL 9001  
 latte - Flugger 4362, NCS S1505-Y50R  
 ashen - RAL 7035



types of milling in BINITO collection



## STANDARD OPTIONS

- » door leaf painted with acrylic UV varnish
- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

**NOTE:** To ensure highest quality of painted products, before painting process, both, door leaf and door frames are coated with special material which constitutes solid base.

## REBATED DOOR LEAF

- » straight edge, flat glazing bar **fig. 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF

- » edge without rebate, flat glazing bar **fig. 2**
- » socket for hook lock and/or for handles

## DOOR LEAF WITH INVERTED REBATE (EXTRA CHARGE)

- » active single door leaf
- » straight edge **fig 3**
- » sockets for 2 hidden concealed Tectus 240 3D hinges (door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE BINITO 11, 23  
BINITO 21, 100  
BINITO 24, 110
  - » white frost VSG 22.1 safe, complex glass pane  
BINITO 11  
BINITO 23  
BINITO 21, 100  
BINITO 24  
BINITO 110
  - » door leaf "90" and "100"
  - » core made of perforated chipboard
  - » non-rebated door leaf
  - » ventilation undercut
  - » door leaf with inverted rebate
  - » cover-up strip for double leaf non-rebated door
  - » plastic ventilation grille
  - » aluminum ventilation grille
  - » double leaf door
  - » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- leaf price x2

fig. 1



fig. 2



fig. 2




fig. 3



fig. 3



\* Note: selected configurations of the BINITO 20 model are available as stock products, rebated in white matt.



## STANDARD OPTIONS

- » edge with radius R 2,5 mm
- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick
- » CPL laminate 0,15 - 0,2 mm or 0,7 - 0,8 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves
- » three hinges - applies to rebated door leaf

## REBATED DOOR LEAF

- » straight edge or edge with a radius R 2,5 mm made in directforming **fig 1**
- » 2 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » **Orders, in investment standard, will be executed after consultations with Untypical Orders Department. By investment standard, is defined door frame passage, with opened door leaf at 90 degree, respectively for doors: interior door leaves "80" 800 mm, "90" 900 mm.**

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, rounded glazing bar **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

## SLIDING SYSTEM DOOR LEAF


- » edge without rebate, rounded glazing bar **fig. 2**
- » socket for hook lock and/or for handles

**NOTE: colours equivalent: W0118 - WHITE**


## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)  
STANDARD 20, BULAJ MDF  
STANDARD 60
- » white frost VSG 22.1 safe, complex glass pane  
STANDARD 20  
STANDARD 60  
BULAJ MDF
- » stabilising insert tubular chipboard
- » **door leaf „100”**
- » door leaf "110" (available only in STANDARD 10)
- » non-rebated door leaf
- » Additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » ventilation undercut
- » double leaf door leaf price x2
- » there is possibility to purchase metal BULAJ separately in black or steel colour
- » **NOTE: third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)**

**There is available 0,7 - 0,8 mm CPL laminate- to place an order and for more information please contact Customer Service Department.**



steel or black steel BULAJ (available only MAT or transparent glass pane)



edge R 2,5 mm



## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » ventilation sleeves

## REBATED DOOR LEAF

- » straight edge coated with edge banding or edge with profile R 2,5 mm made in method of directforming **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock


## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » core made of: perforated chipboard (1983)
- » core made of perforated chipboard (2110 and 2240)
- » door leaf "90" - "100" (1983) DRE - CELL
- » door leaf "90" - "100" (2110 and 2240) DRE - CELL
- » door leaf "90" - "100" (1983) DRE - CELL
- » door leaf "100" (2110 and 2240) DRE - CPL
- » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)


There is available 0,7 - 0,8 mm CPL laminate- to place an order and for more information please contact Customer Service Department.

Door leaf, dependent on selected height option - 1983 mm, 2110 mm or 2240 mm is dedicated to door frames with three hinges in corresponding heights.

**NOTE:** colours equivalent: W0118 - WHITE



additional upper single point mortise lock (available only in STANDARD 10 door leaf model with core made of perforated chipboard and fixed door frame)



edge R 2,5 mm in CPL laminate



\*\*\* decor available only in horizontal wood grain\*\* decor available while stocks last

											white (textured)	beech**	alder**	walnut	Decor DRE-Cell 1						
white mat	white pine	siberian elm	silver	oak sand	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge	Decor DRE-Cell 2							
marrone chestnut textured	gray textured	black textured	toffee oak ***	evoked oak								milky white	white	ashen	CPL Laminate 1 group						
											dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	CPL Laminate 2 group

# MODERN

REBATED AND NON-REBATED DOOR LEAF WITH DIFFERENT HEIGHT  
interior door leaves



## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

## OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves

## REBATED DOOR LEAF

- » straight edge, flat glazing bar (in CPL laminate - rounded glazing bar) flat 4 mm HDF panels **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

## NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar ( in CPL - rounded glazing bar), flat 4 mm HDF panels **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

NOTE: colours equivalent: W0118 - WHITE

NOTE: In rebated door leaf coated with CPL laminate it is possible to choose door leaf with edge with radius R=2.5 mm.

NOTE: Different heights are available in all models of MODERN collection.

Door leaf, dependent on selected height option - 1983 mm, 2110 mm or 2240 mm is dedicated to door frames with three hinges in corresponding heights.

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)  
MODERN 20  
MODERN 30  
MODERN 40  
MODERN 50
- » white frost VSG 22.1 safe, complex glass pane p. 73
- » core made of: perforated chipboard (1983 and 2043)
- » core made of perforated chipboard (2110 and 2240)
- » door leaf „90” and „100” (1983 and 2043)
- » door leaf „90” and „100”(2110 and 2240)
- » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » NOTE: third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)
- NOTE: collection MODERN 10-50 coated with CPL laminate in standard height is available in sliding version.

fig. 1





fig. 2



Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut	Decor DRE-Cell 2	marrone chestnut textured	gray textured	black textured	toffee oak ***	anthracite elm	dark wenge		
	white mat	white pine	siberian elm	silver		sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured**	tabac elm
CPL laminate	white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut

\*\* decor available while stocks last \*\*\* decor available only in horizontal wood grain

### STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane white bark 4 mm thick

### OPTIONS WITHOUT ADDITIONAL CHARGE

- » glass pane „chinchila” or „window blind”
- » ventilation sleeves

### REBATED DOOR LEAF

- » straight edge, flat glazing bar (in CPL laminate - rounded glazing bar) flat 4 mm HDF panels **fig. 1**
- » 3 silver screw-in pivot hinges
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock

### NON- REBATED DOOR LEAF (EXTRA CHARGE)

- » edge without rebate, flat glazing bar (in CPL laminate - rounded glazing bar), flat 4mm HDF panels **fig. 2**
- » sockets for 2 hidden concealed Estetic 80 hinges (non-rebated door frames are equipped with hinges)
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » glass pane MAT DRE, DECORMAT BROWN, DECORMAT GRAPHITE (applies to door leaf)  
PLUS 20  
PLUS 40, 50, 60, 70, 80  
PLUS 30
- » white frost VSG 22.1 safe, complex glass pane p. 77
- » core made of: perforated chipboard (1983 and 2043)
- » core made of perforated chipboard (2110 and 2240)
- » skrzydła „90” and „100” (1983 i 2043)
- » door leaf "90" and "100"(2110 and 2240)
- » non-rebated door leaf
- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » cover-up strip for double leaf non-rebated door
- » double leaf door leaf price x2
- » **NOTE:** third hinge Estetic 80 for non-rebated doors (extra payment is added to the price of the door frame)


**NOTE:** collection PLUS 10-80 coated with CPL laminate in standard height is available in sliding version.

**NOTE:** colours equivalent: W0118 - WHITE

**NOTE:** In rebated door leaf coated with CPL laminate it is possible to choose door leaf with edge with radius R=2.5 mm.

**NOTE:** Different heights are available in all models of PLUS collection.

Door leaf, dependent on selected height option - 1983 mm, 2110 mm or 2240 mm is dedicated to door frames with three hinges in corresponding heights.



white mat	white pine	marrone chestnut textured	gray textured	black textured	toffee oak ***	Decor DRE-Cell 2						white (textured)	beech**	alder**	walnut	Decor DRE-Cell 1
light gray mat	evoke oak	siberian elm	silver	oak sand	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured**	tabac elm	anthracite elm	dark wenge	Decor DRE-Cell 2		
white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	CPL Laminate			

\*\* decor available while stocks last \*\*\* decor available only in horizontal wood grain



## ENA - white mat

DRE sliding system is designed to be used together in one set with single or double leaf door, which are available in our sales offer in sliding version. Sliding system is available in colours which constitute standard finishing colours of door leaf unit: DRE - Cell, 3D foil, CPL laminates, and painted doors with the exception of the following collections: Enter, Enter Akustic, Solid, Solid RC2, Forca B, fire resistant doors, glass doors, and doors with different heights.

In our sale offer there are available two different types of sliding system:

**NS** - system mounted directly on the wall

**NT** - sliding system mounted together with adjustable tunnel

There are two options of NT sliding system:

- » mounted together with adjustable tunnel with 63 mm architrave
- » mounted together with adjustable tunnel with 80 mm architrave

Set of sliding system comprises of: sliding guide bar with hardware (LEON SN 150, 180, 200), spacing board, masking strip, and fender beam (fender beam is available for single leaf - for doors with hook lock option in fender beam there is milling for latch).

In the system mounted with adjustable tunnel, NT, set contains 2 additional 16 mm spacing boards with cross-sections adapted to the width of architraves (63 mm or 80 mm). There are differences in cross-sections of NS and NT masking element.

To complete entire set of sliding doors it is necessary to purchase sliding leaf unit in following dimensions:

Single leaf door: „60“, „70“, „80“, „90“, „100“

Double leaf door: „2x60“, „2x70“, „2x80“, „2x90“, „2x100“

Door leaf might be equipped with sockets for lock and/or handle - those accessories must be purchased separately.

In the system mounted with adjustable tunnel NT, it is necessary to purchase adjustable tunnel separately.

# SLIDING SYSTEM

## WALL MOUNTED SLIDING SYSTEM

### ACCESSORIES



- » round handle 1 pcs.
- » oval handle 1 pcs.
- » Hook lock with two round or oval handles with the key
- » hook lock with toilet option with two round or oval handles
- » hook lock with cylinder with two round handles


One set of door handle for single door leaf consist of 2 pcs.



hook lock with a key and a round handle

hook lock with key and oval handle

masking strip with guide bar



Masking strip and guide bar for double sliding system is made by connecting two elements of single system.


Single sliding system

Dimension door [mm]	Masking strip		Guide bar
	Mz	Mw	Pa
644, 744	1620	1588	1500
844	1920	1888	1800
944	2120	2088	2000
1044	2140	2108	2000


double leaf sliding system

Dimension door [mm]	Masking strip		Guide bar
	Mz	Mw	Pa
2 x 644	2 x 1519	2 x 1503	2 x 1500
2 x 744	2 x 1519	2 x 1503	2 x 1500
2 x 844	2 x 1819	2 x 1803	2 x 1800
2 x 944	2 x 2019	2 x 2003	2 x 2000
2 x 1044	2 x 2063	2 x 2047	2 x 2000


NS - vertical cross-section



NT - vertical cross-section for tunnel with 63 mm architrave



NT - vertical cross-section for tunnel with 80 mm architrave



Single sliding system

symbol	"60"	"70"	"80"	"90"	"100"
A	600	700	800	900	1000
C	644	744	844	944	1044
D	664	764	864	964	1064
E	750	850	950	1050	1150
E*	784	884	984	1084	1184
S	644	744	844	944	1044


double leaf sliding system

symbol	"120"	"140"	"160"	"180"	"200"
A	1200	1400	1600	1800	2000
C	1244	1444	1644	1844	2044
D	1264	1464	1664	1864	2064
E	1350	1550	1750	1950	2150
E*	1384	1584	1784	1984	2184
S**	644	744	844	944	1044


E\* applies to tunnel with T80 architrave  
S\*\* width of single door leaf

Height of sliding door leaf unit - 2043 mm  
total height of sliding system - 2154 mm

NS - horizontal cross-section (left system)



NT - horizontal cross-section (left system)



\* is not available in double leaf system

NOTE: In double sliding system masking strip is connected on length, by two single elements.



GALLA 1 decormat



Sliding system for glass doors "Spazio", is made of anodized aluminum, and used as a complete and complementary solution together with finished door frame. Whole set comprises of - guide channel with straight or oval blende, hardware designed to hang sliding glass doors and bottom door guide.

There is two options of Spazio System (only difference is in the shape of external blende):

- » Spazio TP - with straight blende
- » Spazio TO - with oval blende

### PRICE

- » price of sliding system for a glass doors

To complete the whole system it is recommended to buy glass door leaf in sliding version from collection Galla. There is designed for this solution round handle.

### OPTIONS AVAILABLE WITH EXTRA CHARGE



- » door handle (two-sided)




door handle  
(stainless steel)

Note: There is no possibility to make ventilation option.


sliding glass door leaf



A - A vertical cross-section of Spazio TP



A - A vertical cross-section of Spazio TO



### Dimensions

	S	A	P
"60"	630	590	1340
"70"	730	690	1540
"80"	830	790	1740
"90"	930	890	1940

S - width of door leaf unit  
A - width of wall passage  
P - length of guide channel



DRE

Sliding system SPAZIO CD - STANDARD 10 sand oak

# SLIDING SYSTEM SPAZIO CD MOUNTED ON-WALL

SLIDING SYSTEM DOOR LEAF  
interior door leaves



## SPAZIO CD

On-wall mounted sliding system with anodized guide channel and rectangular blende. Is designated for panel doors and frame construction doors.

## WHOLE SET COMPRISES OF:

- » guide channel with side caps
- » system sliding trolleys
- » door leaf hangers
- » bottom stopper
- » assembly kit (screws and bolts)

To complete the whole system it is recommended to buy door leaf in sliding system version available in our standard sale offer together with door handle. Door handle is to be purchased separately (informations pp.97).



	A	S	L
"60"	600	644	1370
"70"	700	744	1570
"80"	800	844	1770
"90"	900	944	1970
"100"	1000	1044	2170

A - width of wall passage  
S - width of door leaf unit  
L - length of guide channel



Sliding system doors hidden in the wall (pocket system) PA - STANDARD 10 vintage oak

<b>Decor DRE-Cell</b>	white (textured)	white mat	white pine	siberian elm	silver	beech**	vintage oak	sand oak	bleached oak textured	alder**	walnut	caramel walnut	golden oak textured
	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak ***	marrone chestnut textured	antique copper	oxide concrete	black mat	light gray mat
	evoke oak												
<b>Decor 3D</b>	grand oak	elm	american walnut	ebony	polish oak 3D								
<b>Decor painted</b>	white	ecru	latte	ashen									

\*\*while stock last

\*\*\*decor available only in horizontal wood grain

white acrylic UV varnish - RAL 9003  
 ecru - RAL 9001  
 latte - Flugger 4362, NCS S1505-Y50R  
 ashen - RAL 7035

# SLIDING SYSTEM DOORS HIDDEN IN THE WALL (POCKET SYSTEM)

SLIDING SYSTEM DOOR LEAF  
interior door leaves

## SLIDING SYSTEM DOORS HIDDEN IN THE WALL (POCKET SYSTEM) PA - 125 MM

Sliding system doors hidden in the wall (pocket system) PA - it is sliding system doors hidden in the wall designated for light gypsum cardboard wall construction.

### TECHNICAL PARAMETERS:


Assembly of sliding system doors hidden in the wall is to be done in construction of the profiles used to build gypsum cardboard wall construction with total thickness 125 mm (or other type of the construction with total thickness 125 mm). After it is necessary to finish wide surfaces with plasterboards 12,5 mm thick (plasterboards shall be purchased separately), finish detailing process of those surfaces and assemble tunnel cover of sliding system .

### SET COMPRISES OF:

- » cassette elements made of aluminum elements and additional assembly accessories
- » elements which allows to decorate build in sliding system - so called tunnel cassette cover with architraves 80 mm wide

To complete whole system it is necessary to purchase door leaf in sliding system (it is recommended to purchase door leaf with "thimble" option) and hardware for this door leaf (lock and/or door handle and thimble).

**NOTE: VETRO A , VETRO D and VETRO B door leaf with width "70" is not complementary product for sliding system doors hidden in the wall (pocket system) PA.**



	A	S	C	D	G
60	600	644	1310	1330	659
70	700	744	1510	1530	759
80	800	844	1710	1730	859
90	900	944	1910	1930	959
100	1000	1044	2110	2130	1059

C - total width of cassette  
D - width of walls passage prepared for cassette  
G - depth of ready cassette



folding doors FOLDE 10 - white matt

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut										
Decor DRE-Cell 2	white mat	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured**	tabac elm	anthracite elm	dark wenge
	gray textured	black textured	toffee oak ***	marrone chestnut textured	evoke oak	light gray mat								
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D									

\*\*while stock last

\*\*\* decor available only in horizontal wood grain

System of folding doors is characterised by that, during opening process of door leaf unit, doors fold into position parallel to each other.

The complete set of folding doors comprises:

- » two-element door leaf interconnected by 3 hidden concealed hinges
- » adjustable door frame for folding doors

### STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » straight edge **fig. 1**
- » single-point mortise lock for simple key, for bathroom lock, for cylinder lock or economic lock
- » 3 hidden concealed ISTAR hinges instaled between two-element door leaf unit


fig. 1




### OPTIONS AVAILABLE WITH EXTRA CHARGE

- » stabilising insert tubular chipboard
- » door leaf "90" and "100"

Cross-section of folding doors in closed position\*  
(right doors, left doors it is mirror reflection)



Cross-section of folding doors in opened position\*



### Dimensions


	S	A	B	C	D	E
"80"	844	806	830	850	880	990
"90"	944	906	930	950	980	1090
"100"	1044	1006	1030	1050	1080	1190

D - required width of wall passage

**NOTE:** There is no possibility to shorten door leaf.

\*NOTE: When doors are fully opened, the door fittings slightly reduce the clear opening by approx. 10 cm. (this value doesnt take into account door handle)

vertical cross-section





Sara Eco

Decor DRE-Cell 1 group	white (textured)	white mat	white pine	siberian elm	silver	sand oak	bleached oak textured	vintage oak	beech**	alder**	caramel walnut	light gray mat
	golden oak textured	walnut	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge	gray textured	black textured	toffee oak***	marrone chestnut textured	evoke oak
Decor DRE-Cell 2 group	oxide concrete	antique copper										
Decor 3D	grand oak	elm	american walnut	ebony	polish oak 3D							
Decor	primed											
Decor painted	white	ecru	latte	ashen								

\* decor with a door leaf edge in black colour  
 \*\*while stock last  
 \*\*\* decor available only in horizontal wood grain



white acrylic UV varnish - RAL 9003  
 ecru - RAL 9001  
 latte - Flugger 4362, NCS S1505-Y50R  
 ashen - RAL 7035



### NON-REBATED DOOR LEAF - OPENED OUTWARDS

Sara Eco door leaf is an innovative solution for creative interior design with the use of "invisible" doors. This unique construction gives possibility to finish surface of door leaf in the colours of the walls.

#### CONSTRUCTION OF SARA ECO DOOR LEAF COMPRISES OF:

Aluminum door frame, "invisible" after assembly process, build in the wall or overlaid with sheets of plaster board. After detailing process, only visible part is rebate of the door frame, prepared for future painting, e.q. in the colours of the walls.

non- rebated panel construction door leaf is available in two finishing options:

- » wide surfaces of door leaf are primed and ready for painting or paperhanging (e.q. in the colour of the walls). Edges of the leaf are covered with a paintable edge band. Painting is to be done at one-s discretion or optional choose painted decor.
- » The wide surfaces of the door leaf are covered with DRE-Cell or 3D foils, the edges of the door leaf are covered with a edgeband in the color of the foil (except for the colors: antique copper and concrete oxide).

#### OPTIONS AVAILABLE WITH EXTRA CHARGE WITH PRIMER

- » ventilation undercut
- » core made of perforated chipboard

#### STANDARD OPTION


- » door leaf frame made of softwood
- » sockets for 2 or 3 ISTAR hidden concealed hinges
- » stabilising insert "honeycomb"
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

#### OPTIONS AVAILABLE WITH EXTRA CHARGE IN DRE-CELL, 3D AND PAINTED


- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » dropping seal
- » core made of perforated chipboard

Price of the door frame includes 2 or 3 hidden concealed hinges.


NOTE: together with stabilising insert, tubular chipboard, it is required to use 3 hinges.




Sara Eco horizontal cross-section (assembly in Gypsum wall)



Sara Eco vertical cross-section



door frame profile with gasket



Dimensions of Sara Eco door leaf

	S	A	B	C	D
"60"	644	629	650	714	724
"70"	744	729	750	814	824
"80"	844	829	850	914	924
"90"	944	929	950	1014	1024
"100"	1044	1029	1050	1114	1124

- S - width of door leaf unit
- A - width of passage in door frame unit
- B - width in rebate of door frame
- C - external width of door frame
- D - required width of wall passage

NOTE: Minimum thickness of the wall 75 mm.  
Door leaf width: single leaf door "60" ÷ "100".

## REBATED DOOR LEAF - OPENED INWARDS

Sara Eco door leaf is an innovative solution for creative interior design with the use of "invisible" doors. This unique construction gives possibility to finish surface of door leaf in the colours of the walls.

Construction of SARA ECO door leaf comprises of:

- » Aluminum door frame, "invisible" after assembly process, build in the wall or overlaid with sheets of plaster board. After detailing process, only visible part is rebate of the door frame, prepared for future painting, e.q. in the colours of the walls.
- » Rebated panel construction door leaf is available in two finishing options:
  - » wide surfaces of door leaf are primed and ready for painting or paperhanging (e.q. in the colour of the walls). Edges of the leaf are covered with a paintable edge band. Painting is to be done at one's discretion or optional choose painted decor.
  - » The wide surfaces of the door leaf are covered with DRE-Cell or 3D foils, the edges of the door leaf are covered with a edgeband in the color of the foil (except for the colors: antique copper and concrete oxide).

### OPTIONS AVAILABLE WITH EXTRA CHARGE WITH PRIMER

- » ventilation undercut
- » core made of perforated chipboard

### STANDARD OPTION


- » door leaf frame made of softwood
- » sockets for 2 or 3 ISTAR hidden concealed hinges
- » stabilising insert "honeycomb"
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### OPTIONS AVAILABLE WITH EXTRA CHARGE IN DRE-CELL, 3D AND PAINTED


- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » dropping seal
- » core made of perforated chipboard

NOTE: together with stabilising insert, tubular chipboard, it is required to use 3 hinges.

Sara Eco horizontal cross-section



Sara Eco horizontal cross-section (assembly in Gypsum wall)




Dimensions of Sara Eco door leaf

	S	A	B	C	D
"60"	644	629	650	714	724
"70"	744	729	750	814	824
"80"	844	829	850	914	924
"90"	944	929	950	1014	1024
"100"	1044	1029	1050	1114	1124


S - width of door leaf unit  
 A - width of passage in door frame unit  
 B - width in rebate of door frame  
 C - external width of door frame  
 D - required width of wall passage

NOTE: Minimum thickness of the wall 75 mm.  
 Door leaf width: single leaf door "60" ÷ "100".

Sara Eco vertical cross-section



door frame profile with gasket



## NON-REBATED - OPENING OUTWARDS AND REBATED - OPENING INWARDS

Sara Eco door leaf is an innovative solution for creative interior design with the use of "invisible" doors. This unique construction gives possibility to finish surface of door leaf in the colours of the walls.

### CONSTRUCTION OF SARA ECO DOOR LEAF COMPRISES OF:

Aluminum door frame, "invisible" after assembly process, build in the wall or overlaid with sheets of plaster board. After detailing process, only visible part is rebate of the door frame, prepared for future painting, e.q. in the colours of the walls.

non- rebated panel construction door leaf is available in two finishing options:

- » wide surfaces of door leaf are primed and ready for painting or paperhanging (e.q. in the colour of the walls). Edges of the leaf are covered with a paintable edge band. Painting is to be done at one-s discretion or optional choose painted decor.
- » The wide surfaces of the door leaf are covered with DRE-Cell or 3D foils, the edges of the door leaf are covered with a edgeband in the color of the foil (except for the colors: antique copper and concrete oxide).

### OPTIONS AVAILABLE WITH EXTRA CHARGE WITH PRIMER

- » ventilation undercut
- » tubular chipboard in standard 202
- » tubular chipboard in standard 220
- » tubular chipboard in standard 240

### STANDARD OPTION

- » door leaf frame made of softwood
- » sockets for 2, 3 or 4 ISTAR concealed hinges
- » stabilising insert "honeycomb"
- » magnetic lock for simple key, for bathroom lock, for cylinder lock or economic lock

### OPTIONS AVAILABLE WITH EXTRA CHARGE IN DRE-CELL, 3D AND PAINTED

- » ventilation undercut
- » plastic ventilation grille
- » aluminum ventilation grille
- » dropping seal
- » tubular chipboard in standard 202
- » tubular chipboard in standard 220
- » tubular chipboard in standard 240

The price of the door frame also includes 2, 3 or 4 concealed hinges.

Note: in option with stabilising insert as tubular chipboard, in standard 202 it is required to use 3 hinges.

white (textured)	white mat	white pine	siberian elm	gray textured	silver	sand oak	bleached oak textured	vintage oak	caramel walnut	beech**	alder**	golden oak textured	Decor DRE-Cell 1 group
			light gray mat	evoke oak	walnut	marrone chestnut textured	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge	black textured	
											antique copper	oxide concrete	Decor DRE-Cell 2 group
								grand oak	elm	american walnut	ebony	polish oak 3D	Decor 3D
												primed	Decor
													Painted Decor
								white acrylic UV varnish - RAL 9003 ecru - RAL 9001 latte - Flugger 4362, NCS S1505-Y50R ashen - RAL 7035	white	ecru	latte	ashen	


\* decor with a door leaf edge in black colour

\*\*while stock last


\*\*\* decor available only in horizontal wood grain

## NON-REBATED - OUTWARD OPENING IN THE 202X, 220X, 240X STANDARD

Cross-section of the Sara Eco 2 non-rebated door - opening outwards



Vertical cross-section of the Sara Eco 2 non-rebated door leaves - opening outwards



Dimensions of non-rebated door leaves


standard	H	Hs	hw	H0
202x	2020	2020	2068	2075
220X	2200	2200	2248	2255
240X	2400	2400	2448	2455

Dimensions of the door leaf width Sara Eco 2


	S	A	C	D
"60"	620	605	701	710
"70"	720	705	801	810
"80"	820	805	901	910
"90"	920	905	1001	1010
"100"	1020	1005	1101	1110

## REBATED - OUTWARD OPENING IN THE 202X, 220X, 240X STANDARD

Cross-section of the Sara Eco2 rebated door - opening inwards



Vertical cross-section of the Sara Eco 2 rebated door - opening inwards



height dimensions of rebated doors

standard	H*	Hs*	Hw*	H0*
202x	2030	2030	2078	2085
220X	2210	2210	2258	2265
240X	2410	2410	2458	2465

Dimensions of the door leaf width Sara Eco 2


	S	A	C	D
"60"	620	605	701	710
"70"	720	705	801	810
"80"	820	805	901	910
"90"	920	905	1001	1010
"100"	1020	1005	1101	1110

- S - door leaf width
- A - width of passage in door frame unit
- C - external width of door frame
- D - required width of wall passage
- H - the height of the door leaf
- Hs - height of the door frame passage
- Hw - external height of the door frame
- H0 - height of the wall passage


\* - Applies to rebated doors

## NON-REBATED - OUTWARD OPENING IN THE 202X STANDARD

Horizontal cross-section of the Sara Eco 2 non-rebated door - opening outwards



Vertical cross-section of the Sara Eco 2 non-rebated door leaves - opening outwards



Dimensions of non-rebated door leaves


standard	H	H <sup>S</sup>	hw	H <sup>O</sup>
202x	2020	2020	2068	2075

Dimensions of the door leaf width Sara Eco 2


	S	A	C	D
"60"	620	605	701	710
"70"	720	705	801	810
"80"	820	805	901	910
"90"	920	905	1001	1010
"100"	1020	1005	1101	1110

## REBATED - OPENING INWARDS IN THE 202X STANDARD, DRE DOOR FRAME

Cross-section of the Sara Eco2 rebated door leaf - opening inwards



Vertical cross-section of the Sara Eco 2 rebated door leaf - opening inwards



Dimensions of the door leaf width Sara Eco 2

	S	A	C	D
"60"	620	605	701	710
"70"	720	705	801	810
"80"	820	805	901	910
"90"	920	905	1001	1010
"100"	1020	1005	1101	1110

height dimensions of rebated doors

standard	H*	H <sup>S</sup> *	Hw*	H <sup>O</sup> *
202x	2030	2030	2078	2085

\* - Applies to rebated doors

- S - door leaf width
- A - width of passage in door frame unit
- C - external width of door frame
- D - required width of wall passage
- H - the height of the door leaf
- H<sup>S</sup> - height of the door frame passage
- Hw - external height of the door frame
- H<sup>O</sup> - height of the wall passage

# SIDE PANELS

REBATED



## STANDARD OPTIONS

- » door leaf frame made of softwood
- » stabilising insert "honeycomb"
- » glass pane 4 mm thick: white bark, "window blind", CHINCHILA, MAT DRE, DECORMAT BROWN or DECORMAT GRAPHITE.
- » 2 silver screw-in pivot hinges
- » latch strike plate and two flush bolts
- » optional: straight edge\* flat glazing bar **fig.1** or "karnies" edge, rounded glazing bar **fig. 2**

## OPTION WITHOUT ADDITIONAL CHARGE

- » three hinges applies to rebated door leaf

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » white frost VSG 22.1 safe, complex glass pane  
SIDE PANEL 30  
SIDE PANEL 40  
SIDE PANEL 41
- » core made of perforated chipboard
- » door frame for door leaf with side panel

+30%

Side panel it is passive rebated door leaf unit with "40" width and 40 mm thick, with glazing or without glazing option, in uniform wood grain. Side panels can be paired with interior rebated door leaf in the following combination: „60+40“; „70+40“; „80+40“; „90+40“; „100+40“.

Side panel 10 can be applied to rebated interior door leaf. Side panel 30 can be applied to models ARTE 10-30 and STANDARD 30. Side panel 40 can be applied to models ARTE 40, 50, 90; STANDARD 40, KANON 30, DECO collection. Side panel 41 can be applied to models MODERN 30, PLUS 30.

To make the best possible match of side panel to door leaf unit, besides selection of model, it is necessary to choose wright colour, type of the edge and number of hinges.

**NOTE:** There is no possibility to shorten side panels.

fig. 1



straight edge



flat glazing bar

fig. 2



„karnies“ edge



rounded glazing bar



Side panel 10



Side panel 30



Side panel 40



Side panel 41

Decor DRE-Cell 1	white (textured)	beech**	alder**	walnut						Decor 3D	elm	american walnut	ebony	polish oak 3D	grand oak
	white mat*	white pine	siberian elm	silver	oak sand	bleached oak textured	vintage oak	caramel walnut	golden oak textured		dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge
Decor DRE Cell 2	gray textured	black textured	toffee oak***	marrone chestnut textured	evoke oak	light gray mat*									
CPL Laminate	white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut		

\* decor is not available in door leaf model with "karnies" edge  
 \*\*while stock last  
 \*\*\* decor available only in horizontal wood grain

## STANDARD OPTIONS

- » stiles and rails made of MDF
- » glass pane 4 mm: MAT DRE, decormat brown, decormat graphite or transparent glass
- » 3 silver screw-in pivot hinges
- » latch strike plate and two flush bolts
- » straight edge **fig. 1**

fig. 1




## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door frame for door leaf with side panel +30%

**NOTE:** Price of side panel is equal to the price of corresponding door leaf model.

There is possibility to make side panels to all frame construction door leaf, available in presented collections, in following combinations: „60+40“; „70+40“; „80+40“; „90+40“; „100+40“

**NOTE:** There is no possibility to shorten side panels.



\*\*\* decor available only in horizontal wood grain

# TRANSOM LIGHTS / SIDELIGHTS



Possible configuration of transom lights/side lights





# TRANSOM LIGHTS AND SIDELIGHTS

Transom lights/ sidelights are fixed, unopenable, glazed partition between rooms or spaces that may constitute an independent structure or a supplement for interior doors (except for glass doors) with a fixed door frames. Transom lights/sidelights are manufactured and delivered as a set of components ready for assembly. Set contains the following:

- » two horizontal and two vertical main beams
- » set of cover and instalation strips
- » set of gaskets
- » main beam couplers

Transom lights/sidelights are used in interior doors with a fixed door frames and they come in the following decors DRE-Cell, 3D , CPL laminate 0,15-0,20 mm and painted.

NOTE: Our product doesnt come with the glass pane, which should be purchased by the Client separately. We reccomend to use tempered glass pane with a thickness of 4 mm. Assembly of transom lights/sidelights should be performed once the "wet" construction are completed.





Fig. A cross-section of the transom light/sidelights



## Dimensions of transom lights/sidelights

range of products	total height	total width	length of the perimeter
sidelight	2073 mm	Z	$2*2073+2*Z$
sidelight	N	Z	$2*N+2*Z$
transom light	N	B	$2*N+2*B$

## available options of transom lights heights

„N“ = 200-800 mm.

available options of the width of transom and side lights

„Z“ = 200-1000 mm.

Width of the upper "B" transom lights is adjusted to the width of the fixed door frames; the available options of the width of fixed door frames; available options of the widths can be found in the following tables:

The transom lights are mounted on the single-leaf door frame

	"60"	"70"	"80"	"90"	"100"	„110“
B	688	788	888	988	1088	1188

## Transoms mounted with the door frame in double-leaf doors

	„100d“	„110d“	„120“	„130“	„140“	„150“	„160“	„170“	„180“	„190“	„200“
B	1123	1223	1323	1423	1523	1623	1723	1823	1923	2023	2123

Price of the transom lights/sidelights is calculated per one meter of circumference measured on the outer side of the transom lights/sidelights.

To place an order please contact Untypical Orders Department - phn. 55 236 42 59 / 249.

NOTE: height of the sidelight is adapted to the standard height of the fixed door frame. Therefore, we do not reccomend shortening door frames in configuration with the sidelight.



ENTER 0 AKUSTIK - CPL dark gray



## ENTER ACOUSTIC TECHNICAL DOORS MEET THE FOLLOWING REQUIREMENTS:

- » mechanical resistance class: 3
- » sound insulation class Rw = 32dB

## APPLICATION

Door leaf ENTER ACOUSTIC are designed to be used as interior entrance door in multifamily buildings and in public utility buildings

## STANDARD OPTION:


- » door leaf frame made of MDF additionally reinforced with two flat metal bars
- » stabilising insert tubular chipboard
- » flat external HDF board
- » dropping seal
- » 3 silver screw-in pivot hinges
- » straight edge or edge R 2,5 mm (in CPL laminate)
- » bottom deadbolt lock adapted for door lock cylinder
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

## DOOR FRAMES:

- » steel hybrid door frame p. 150
- » adjustable metal door frame p.148
- » fixed metal door frame p. 146
- » fixed rebated door frame p. 132
- » adjustable door frame with T80 architrave, T63 pp. 134
- » adjustable door frame with K63 architrave pp. 135

## OPTIONS AVAILABLE WITH EXTRA CHARGE:

- » viewfinder - included separately
- » door leaves "110"




ENTER 0 ACOUSTIC



\*\* decor available while stocks last \*\*\* decor available only in horizontal wood grain

# ENTER/SOLID

REBATED DOOR LEAF  
interior entrance



## STANDARD OPTIONS

- » door leaf frame made of MDF additionally reinforced with two flat metal bars
- » stabilising insert tubular chipboard
- » external HDF board - flat or with decorative milling .
- » 3 silver screw-in pivot hinges
- » straight edge fig. 1 or edge R 2,5 mm ( in CPL laminate) fig. 2

## REBATED DOOR LEAF MODEL ENTER:

- » bottom deadbolt lock adapted for door lock cylinder
- » upper deadbolt lock adapted for door lock cylinder
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

## REBATED DOOR LEAF SOLID

- » multipoint mortise lock
- » hinges reinforced with anti-thrust bolts
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

## APPLICATION


Door leaf ENTER and SOLID can be used as internal entrance door in multifamily and in public utility buildings.

## CONSTRUCTION


Construction door leaf frame is made of MDF, additionally reinforced with two flat metal bars. Core is made of perforated chipboard. Door leaf unit has increased acoustic insulation (Rw=32dB). External HDF board is ennobled with DRE-Cell veneer - optional - flat finishing or decorative milling.


**Door leaf models ENTER/SOLID are available with 0,7-08 mm CPL laminate - to place an order and for more information please contact Customer Service Department.**

**NOTE: Model ENTER 0 and SOLID 0 - door leaves in CPL laminate and edge with radius R 2,5 mm as standard option. It is recommended to use together with door leaf collection ENTER/SOLID fixed door frame ENTER/SOLID or metal door frames.**



\* door handle and upper backplate METRO, set of patented cylinder - single key system





**OPTIONS AVAILABLE WITH EXTRA CHARGE**

- » viewfinder - included separately
- » digital viewfinder DDS1 - included separately
- » digital viewfinder DDS2 - separately
- » stainless steel threshold - 70 mm wide
- » cancellation of second lock (ENTER)
- » dropping seal

light gray mat	white mat	silver	<b>Decor DRE-Cell 2</b>							white (textured)	beech**	alder**	walnut	<b>Decor DRE-Cell 1</b>
	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge	<b>Decor DRE-Cell 3</b>	
								gray textured	black textured	toffee oak***	marrone chestnut textured	evoked oak		
								grand oak	elm	american walnut	ebony	polish oak 3D	<b>Decor 3D</b>	
	white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	<b>CPL Laminate</b>

\*\*while stock last

\*\*\* decor available only in horizontal wood grain

# ENTER/SOLID

REBATED DOOR LEAF  
interior entrance



\*\*\* door handle and upper backplate, set of patented cylinder - single key system.

## STANDARD OPTIONS

- » door leaf frame made of MDF additionally reinforced with two flat metal bars
- » stabilising insert tubular chipboard
- » external HDF board - flat or with decorative milling .
- » 3 silver screw-in pivot hinges
- » straight edge fig.1 or edge R 2,5 mm (in CPL laminate) fig. 2

## REBATED DOOR LEAF MODEL ENTER:

- » bottom deadbolt lock adapted for door lock cylinder
- » upper deadbolt lock adapted for door lock cylinder
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

## REBATED DOOR LEAF SOLID

- » multipoint mortise lock
- » hinges reinforced with anti-thrust bolts
- » Door leaves are available in the investment dimension "90E" (door frame passage with opened door leaf at 90 degree = 900mm)

Door leaf ENTER and SOLID can be used as internal entrance door in multifamily and in public utility buildings.

It is recommended to use together with door leaf collection ENTER/SOLID fixed door frame ENTER/SOLID or metal door frames.

## CONSTRUCTION

Construction door leaf frame is made of MDF, additionally reinforced with two flat metal bars. Core is made of perforated chipboard. Door leaf unit has increased acoustic insulation (Rw=32dB). External HDF board is ennobled with DRE-Cell veneer - optional - flat finishing or decorative milling.

fig. 1



straight edge

fig. 2



R 2,5 edge

## APPLICATION




ENTER/SOLID 12 ENTER/SOLID 13 ENTER/SOLID 14 ENTER/SOLID 15 ENTER/SOLID 16 ENTER/SOLID 17





ENTER/SOLID 18 ENTER/SOLID 19\* ENTER/SOLID 20\* ENTER/SOLID 21\*\* ENTER/SOLID 22\*\* ENTER/SOLID 23\*\*

\* in models 19 and 20 veneer is glued in strips with variable wood grain.



NOTE: models ENTER 21-23 and SOLID 21-23 - door leaves in CPL laminates and edge with R 2,5 mm radius as a standard.



edge R 2,5 mm in CPL laminate



\*\* in models 21-23 there are aluminum marrquetry elements installed in one surface of door leaf



light gray mat	white mat	silver	Decor DRE-Cell 2							white (textured)	beech**	alder**	walnut	Decor DRE-Cell 1
white pine	siberian elm	sand oak	bleached oak textured	vintage oak	caramel walnut	golden oak textured	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge		Decor DRE-Cell 3	
								gray textured	black textured	toffee oak***	marrone chestnut textured	evolve oak		
								grand oak	elm	american walnut	ebony	polish oak 3D	Decor 3D	
white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	CPL Laminate	

\*\*while stock last

\*\*\* decor available only in horizontal wood grain



SOLID RC2 - gray oak CPL



## STANDARD OPTION:

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge
- » multipoint mortise lock
- » anti-thrust bolts
- » 3 triple hinges
- » HDF external board with aluminum sheet

SOLID RC2 door leaves have acoustic insulation class  $R_w=32dB$  and have antiburglary class RC2 according to PN-EN 1627:2012. To comply with technical approval whole set must comprise of door leaf, steel door frame, steel threshold and purchased separately dedicated for this product hardware: door handle, backplate and cylinder patent inserts. Picture of door handle and backplate can be found on page 157.

## APPLICATION

Door leaf SOLID RC2 can be used as internal entrance door in multifamily buildings and in public utility buildings. It can be used together with door frames:

- » OSS (fixed steel door frame) informations and prices - pp. 146-147
- » OSR (steel adjustable door frame), informations and prices - pp. 148-149
- » OSH (hybrid steel door frame) informations and prices - pp. 150-151

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » viewfinder - separately
- » door leaf „100”
- » steel threshold
- » ONTARIO door handle
- » ONTARIO backplate
- » patent insert (price for 2 pc)

## OPTIONS WITHOUT ADDITIONAL CHARGE

Door leaves are available in the investment dimension "90E"  
(door frame passage with opened door leaf at 90 degree  
= 900mm)



SOLID RC2



threefold hinge E878

white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	CPL Laminate
white mat	light gray mat	dark gray matt	brown mat	white semigloss	light gray semi-gloss	DARK GRAY semi-gloss	semigloss brown	beige semigloss	black matt	Black semi-gloss	Available colours metal door frames		
RAL 9003	RAL 7047	RAL 7024	RAL 8017	RAL 9003	RAL 7047	RAL 7024	RAL 8017	RAL 1001	RAL 9005	RAL 9005			

Door frames colours are in two gloss scale (matt/low structure, semi gloss/plain).

# FIRE RESISTANT DOOR LEAF ATHOS

REBATED  
Interior entrance door



## ATHOS TECHNICAL DOORS MEET THE FOLLOWING REQUIREMENTS:

- » fire resistance class: EI30 with a steel door frame
- » fire resistance class: EI30 with a wooden door frame
- » smoke proof class: Sa, S<sub>200</sub>
- » mechanical resistance class: 3
- » sound insulation class: RW=32 dB
- » acoustic insulation class: Rw = 37 dB with a wooden door frame and wooden threshold

## APPLICATION

Interior entrance fire-resistance doors, are used in residential housing, public utility buildings and collective residential buildings, as well as commercial and technical premises.

## STANDARD OPTION

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge
- » single-point mortise lock adapted for cylinder lock
- » 3 triple hinges

## DOOR FRAMES


- » fixed metal door frame p. 146
- » adjustable metal door frame p.148
- » steel hybrid door frame p. 150
- » wooden door frame p. 123

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » selfcloser DORMA
- » selfcloser GEZE
- » door leaf "100" - "110"
- » viewfinder
- » wooden threshold

In order to comply with the conditions of the National Technical Assessment, doors with fire resistance EI 30 should be equipped with a self closer.

**ATTENTION:** The price of the leaf does not include the price of a steel frame or a wooden frame.



ATHOS 10

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	beech**	alder**	golden oak textured	caramel walnut	tabac elm	anthracite elm	dark wenge	vintage oak
	marrone chestnut textured	gray textured	black textured	toffee oak ***	silver	walnut	dark walnut textured	gray oak textured***	evoked oak	light gray mat				
Decor 3D	elm	american walnut	ebony	polish oak 3D	grand oak									
CPL Laminate	white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	

\*\*while stock last

\*\*\*decor available only in horizontal wood grain

## CONSTRUCTION

The OD ATHOS door frame is made of softwood. On its visual side it is entirely coated with a decorative wood-imitation DRE- Cell veneer, 3D veneer or CPL laminate 0,15-0,2 mm. Door frames main beams, with a fixed width 100 mm, are joined together at 90°. In the main intumescent seal, there is a glued intumescent seal with fire-resistant properties.


## APPLICATION

OD ATHOS door frames are dedicated to Athos door leaves, which as a set, installed in accordance with the National Technical Assessment No. 2018/0633, they constitute a partition with fire resistance EI 30. Moreover, equipped with a fixed threshold, they meet the acoustic insulation criteria in accordance with the class  $R_w = 37$  dB, and in the configuration with a dropping seal, without a fixed threshold,  $R_w = 32$  dB

## SET CONTAINS


- » Main beams (lintel, latch plate beam with the main lock catch and main beam with the hinges with milled holes for the yokes and three-part hinges and mounted anti-theft bolt sockets), rebate gasket, three hinges (middle part of the three-part hinge) + 3 hinge yokes, a set of elements to be assembled door frame according to the attached instructions.
- The door frames are packed in cardboard boxes.

vertical cross-section of OD ATHOS




\*\* - the use of a fixed threshold (as an option) will reduce the height of the frame passage by 20 mm

OD ATHOS profile



Horizontal cross-section OD ATHOS



	A	C	D
"80"	802	910	940
"90"	902	1010	1040
"90E"	917	1025	1055
"100"	1002	1110	1140
"110"	1102	1210	1240

D - recommended width of wall passage  
 \* - according to KOT 2018/0633: maximum gap between the door frame and the wall = 20 mm

white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	vintage oak	beech**	alder**	walnut	dark walnut textured	golden oak textured	caramel walnut	Decor DRE-Cell
		light gray mat	evoke oak	marrone chestnut textured	gray textured	black textured	toffee oak***	silver	gray oak textured***	tabac elm	anthracite elm	dark wenge	
								elm	american walnut	ebony	polish oak 3D	grand oak	Decor 3D
white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	CPL Laminate

\*\*white stock last

\*\*\* decor available only in horizontal wood grain

## FORCA TECHNICAL DOORS MEET THE FOLLOWING REQUIREMENTS:

- » class of anti-burglary: RC3 (according to PN-EN 1627: 2012)
- » fire resistance class: EI<sub>2</sub>30
- » smoke proof class: Sa, S<sub>200</sub>
- » mechanical resistance class: 3
- » sound insulation class: RW=32 dB

## APPLICATION

Interior entrance, fire resistance and anti-burglary doors are used in residential housing, public utility buildings and collective residential buildings as well as commercial and technical premises. Doors are sold only as a complete set with metal door frame, metal threshold, door handle, backplate and two patented cylinder inserts.

## STANDARD OPTION

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge
- » steel strings
- » 5-point mortise lock
- » 3 triple hinges

## DOOR FRAMES

- » fixed metal door frame p. 146
- » adjustable metal door frame p.148
- » steel hybrid door frame p. 150

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel threshold
- » handle
- » longitudinal backplate
- » patent cylinder x 2 pcs.
- » selfcloser DORMA
- » selfcloser GEZE
- » door leaf "100"
- » viewfinder

In order to comply with the conditions of the National Technical Assessment for doors with EI 30 fire resistance and anti-burglary properties, doors should be equipped with a self closer and DIVA door handle with the backplate. Picture of door handle and backplate - p. 157.

**NOTE:** To the price of door leaf unit it should be added price of steel door frame, steel threshold, handle, backplate and price of two patent cylinders.



FORCA 10

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	beech**	alder**	golden oak textured	marrone chestnut textured	silver	gray textured	black textured	toffee oak ***
	walnut	caramel walnut	dark walnut textured	gray oak textured***	tabac elm	anthracite elm	dark wenge	vintage oak	evoke oak	light gray mat				
Decor 3D	elm	american walnut	ebony	polish oak 3D	grand oak									
CPL laminate	white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	

\*\*while stock last

\*\*\* decor available only in horizontal wood grain



## FORCA B TECHNICAL DOORS MEET THE FOLLOWING REQUIREMENTS:

- » class of anti-burglary: RC3 (according to PN-EN 1627: 2012)
- » mechanical resistance class: 3
- » sound insulation class: RW=32 dB

## APPLICATION

Interior entrance, fire resistance and anti-burglary doors are used in residential housing, public utility buildings and collective residential buildings as well as commercial and technical premises. Doors are sold only as a complete set with metal door frame, metal threshold, door handle, backplate and two patented cylinder inserts.

## STANDARD OPTION

- » door leaf frame made of soft wood
- » core made of chipboard
- » straight edge
- » steel strings
- » 5-point mortise lock
- » 3 triple hinges


## DOOR FRAMES

- » fixed metal door frame p. 146
- » adjustable metal door frame p.148
- » steel hybrid door frame p. 150

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » steel threshold
- » handle
- » longitudinal backplate
- » patent cylinder x 2 pcs.
- » door leaf "100"
- » viewfinder

**NOTE:** To the price of door leaf unit it should be added price of steel door frame, steel threshold, handle, backplate and price of two patent cylinders.



FORCA B 10

white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	beech**	vintage oak	alder**	walnut	caramel walnut	golden oak textured	toffee oak ***	marrone chestnut textured	Decor DRE-Cell
				light gray mat	evoke oak	dark walnut textured	gray oak textured**	tabac elm	anthracite elm	dark wenge	silver	gray textured	black textured	
									elm	american walnut	ebony	polish oak 3D	grand oak	Decor 3D
white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	CPL lami- nate	

\*\*while stock last

\*\*\* decor available only in horizontal wood grain



OLIMP 10 - white matt

Decor DRE-Cell	white (textured)	white mat	white pine	siberian elm	sand oak	bleached oak textured	beech**	alder**	golden oak textured	walnut	caramel walnut	dark walnut textured	gray oak textured***	tabac elm
	anthracite elm	dark wenge	vintage oak	silver	gray textured	black textured	toffee oak**	marrone chestnut textured	evoke oak	light gray mat				
Decor 3D	elm	american walnut	ebony	polish oak 3D	grand oak									
CPL lami- nate	white	milky white	ashen	dark gray	concrete 2	gray oak	welsh oak	acacia	celini walnut	walnut	honey oak	chestnut	roasted walnut	


\*\*while stock last

\*\*\* decor available only in horizontal wood grain

## STANDARD OPTIONS

- » core made of Halspan chipboard 44 mm in EI30 or 54 mm in EI60 with additional pine wood strips attached circumferentially
- » straight edge, rounded glazing bar **fig.1**
- » transparent fire - resistance glass pane (variable width dependent on the size of the door leaf)
- » intumescent smoke-proof gasket
- » 3 hinges
- » patented cylinder lock
- » dropping seal

fig. 1



## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » viewfinder
- » selfcloser DORMA
- » selfcloser GEZE
- » fire resistance ventilation grille
- » surcharge for passive door leaf

## APPLICATION

Fire-resistance doors are used as interior entrance doors in residential housing, public utility buildings and collective residential buildings. In order to comply with the conditions of the National Technical Assessment self closer should be applied in doors with fire-resistance EI30 and EI60. Doors are sold only as a set with a metal fire-resistance door frame.



Acoustic sound insulation rate for single leaf door  $R_w=32$  dB  
Acoustic sound insulation rate for double leaf door  $R_w=27$  dB



fire resistance ventilation grille.



SELFCLOSER DORMA



SELFCLOSER GEZE

NOTE: In door leaf with fire-resistance EI30 there are used three triple hinges, while in door leaf with fire resistance EI60 there are used VX7939 hinges.




OLIMP 10



OLIMP 20



OLIMP 30



OLIMP 40

# METAL FIRE RESISTANT DOOR FRAME

## CONSTRUCTION

Metal door frame is made of carbon steel construction plate with a minimum thickness 1,5 mm, structure is welded and powder-coated in brown or white colour.


## APPLICATION

Door frame is applied to the interior entrance fire-resistance doors OLIMP EI60.


## STANDARD OPTIONS

- » 3 hinges
- » gasket with enhanced flame-resistance properties

OLIMP EI-60 door leaf vertical cross-section




horizontal cross-section of door frame mounted in the wall



D - width of the assembly hole

door frame profile




OSPP EI60 dimensions for single door leaf

	A	C	D	E
"80"	801	871	889	897
"90"	901	971	989	997
"90E"	926	996	1014	1022
"100"	1001	1071	1089	1097
"110"	1101	1171	1189	1197

Dimensions of OSPP EI60 for double leaf doors

	A	C	D	E
"160"	1636	1706	1724	1732
"170"	1736	1806	1824	1832
"180" = "90" + "90"	1836	1906	1924	1932
"200" = "100" "100"	2036	2106	2124	2132
"210"	2136	2206	2224	2232
"220"	2236	2306	2324	2332



threefold hinge

Hinge SIMONSWERK VX 7939/160 (for door widths "100" and "110")





GALLA 1  
transparent



GALLA 1  
decormat




GALLA 1  
decormat brown



GALLA 1  
decormat graphite



GALLA 2  
sand blasted glass  
transparent strips



GALLA 3  
sand blasted glass  
transparent strips



GALLA 10  
decormat  
screen printing



GALLA 10  
transparent glass  
screen printing



GALLA 11  
decormat  
screen printing



GALLA 11  
transparent glass  
screen printing



GALLA 12  
decormat  
screen printing



GALLA 13  
decormat  
screen printing

Door leaf is made of tempered, 8mm glass pane.

**OPTIONS AVAILABLE WITH EXTRA CHARGE**


» ventilation undercut available in active door leaf  
(door leaf „80” and „90” meet ventilation requirements)

*NOTE: prices apply to active door leaf and sliding version of door leaf.*

# HARDWARE FOR GLASS DOORS


## ACTIVE DOOR LEAVES

fig. 1 right door leaf /blockade outside




Geze toilet locks - select right toilet lock outside.  
remaining locks - select left lock\*

fig. 2 left door leaf/blockade outside




Geze toilet locks - select left toilet lock outside.  
remaining locks - select left lock\*

fig. 3 right door leaf/blockade inside



Geze toilet locks - select right toilet lock inside.  
remaining locks - select right lock\*

fig. 4 left door leaf/blockade inside



Geze toilet locks - select left toilet lock inside.  
remaining locks - select right lock\*

\* In toilet locks, except Geze and metalbud locks, definition "left", "right" refers to placement of toilet blockade: description "left lock" means that blockade is placed on exterior side of the door leaf, description "right lock" means that blockade is placed on interior side of the door leaf.

## HARDWARE



GEZE lock



GEZE lock toilet\*\*\*



GEZE lock simple key lock



GEZE lock cylinder lock\*\*



GEZE hinge



steel lock



steel lock \*\*\*



steel lock simple key lock



steel lock cylinder lock\*\*



steel hinge



black lock



black toilet \*\*\*



black simple key lock



black cylinder lock\*\*




black hinge

\*\* It is necessary to purchase patented cylinder 21/26 separately (see details in the table above)

\*\*\* Toilet lock - selection of toilet lock see details above

## DOOR LEAF DIMENSIONS AND PLACEMENT OF HARDWARE




Door leaf unit is made of safe, plain or glued, tempered 8mm glass pane, which has in standard option holes for assembly of:

- » hinges and lock in active doors leaf
- » round door handle and hardware adapted for sliding system door leaf


## APPLICATION

Glass door leaf are used as interior doors in residential housing, public utility buildings and collective residential buildings.

## OPENING DIRECTION OF GLASS DOOR LEAF



In door leaves Galla there are two different sides of glass pane (it is not referred to transparent Galla1).



## SELECTION OF LOCKS FOR GLASS DOORS

Depending on door leaf opening direction (left/right):

GEZE toilet locks are configured, for left door leaf - left locks are used for right door leaf - right door locks are used remaining door locks are universal use (they can be configured left or right).

In toilet lock it is necessary to choose one of the following combinations which present assembly situation (difference is in door leaf opening direction and/or placement of toilet blockage):

## DOOR LEAF WIDTH

Symbol of the door dimension	SZ	SZP
"60"	617	630
"70"	717	730
"80"	817	830
"90"	917	930

SZ - width of glass active door leaf

SZP - width of glass sliding door leaf

## DOOR LEAF HEIGHT

2036 mm - height of glass active door leaf

2054 mm - height of glass sliding door leaf

**NOTE:** . There is no possibility to shorten glass door leaf.

## CLEARANCE BETWEEN DOOR LEAF AND FLOOR

Standard clearance between door leaf unit and ready floor is 8 mm.

## NOTES REFERED TO HINGE


DOOR FRAMES applied to glass doors should be equipped with two pivot  $\varnothing 15$  mm.

FULFILMENT OF VENTILATION REQUIREMENTS FOR GLASS DOORS

symbol dim. DOORS	doors with ventilation undercut	
	ventilation surface of the undercut and the clearance 8 mm [m2]	required clearance to meet ventilation requirements [in mm]
"90"	0,027	2
"80"	0,024	5,5
"70"	0,021	10*
"60"	0,017	16*

\* - door leaf „60" and „70" doesnt meet ventilation requirements.

Ventilation undercut (only active door leaf)



Use of ventilation undercut in glass door leaf unit with width "80" - "90" and standard clearance between door leaf and floor (8mm) will fulfill ventilation requirement - total ventilation surface 0,022 m2.

# FIXED DOOR FRAMES

REBATED

## CONSTRUCTION

Fixed door frame is made of high-quality MDF board and it is coated with ecological, wood-like decorative DRE-Cell veneer, 3D veneer, 0,15 - 0,20 mm CPL, finish veneer or painted.

Door frames has fixed width of 100 mm.

## APPLICATION


Fixed door frame can be used in the following types of doors:

- » ENTER entrance doors (equipped with 3 ø 13,5 mm hinges and additional upper latch plate)
- » SOLID entrance doors (equipped with 3 ø 13,5 mm hinges and 4 hooks for the latch and latches of the flat multi-point lock)
- » glass doors ("OPC" they are equipped with two hinges ø 15 mm, special latch plate and rubber seal strip)
- » other remaining rebated door leaf (using 2 or 3 ø 13,5 mm hinges, in all frame construction door and panel door collections having size "90" and wider; door frames should be equipped with 3 hinges)


Masking strips are used in fixed door frames and SOFT door frames, whereas for the fixed SOFT natura door frames angular architrave are used.

## THE SET CONTAINS


Main beam (one horizontal and two vertical elements), door seal, a set of hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.




OP profile



OP SOFT profile




OP vertical cross-section for rebated door leaf




required height of wall passage 2089 mm  
(2095 mm for glass doors)

OP vertical cross-section for glass doors



OP Horizontal cross section



for single-leaf doors

	A	C **	D
"60"	600	688	712
"70"	700	788	812
"80"	800	888	912
"90"	900	988	1012
"90E"	904	992	1016
"100"	1000	1088	1112
"110"	1100	1188	1212

for rebated door leaf double-leaf doors

	A	C **	D
„100d“	1035	1123	1147
„110d“	1135	1223	1247
„120“	1235	1323	1347
„130“	1335	1423	1447
„140“	1435	1523	1547
„150“	1535	1623	1647
„160“	1635	1723	1747
„170“	1735	1823	1847
„180“	1835	1923	1947
„190“	1935	2023	2047
„200“	2035	2123	2147

\* door frames for glass doors, width "60" - "90"  
D - required width of wall passage

## OPTIONS AVAILABLE WITH EXTRA CHARGE

- » door frame ENTER (with latch deadbolt plate)
- » door frame SOLID
- » door frame for double leaf door:

+30%

# FIXED DOOR FRAMES

NON-REBATED

## CONSTRUCTION

Fixed non-rebated door frame is made of high-quality MDF board and it is coated with ecological, wood-like decorative DRE-Cell veneer, 3D veneer, 0,15 - 0,20 mm CPL or painted. Door frames has fixed width 100 mm.

## APPLICATION


Fixed non-rebated door frame can be applied to all DRE collections which are available in non-rebated option.

## SET CONTAINS

Main beam (one horizontal and two vertical elements), door seal, a set of hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.




OPB vertical cross-section




required height of the wall opening 2097 mm

D - required width of wall passage

OPB Horizontal cross section



OPB profile



for single-leaf doors

	A	C	D
"60"	627	707	730
"70"	727	807	830
"80"	827	907	930
"90"	927	1007	1030
"100"	1027	1107	1130

for double-leaf doors

	A	C	D
„120"	1274	1354	1380
„130"	1374	1454	1480
„140"	1474	1554	1580
„150"	1574	1654	1680
„160"	1674	1754	1780
„170"	1774	1854	1880
„180"	1874	1954	1980

Prices include 2 hinges with assembly plates.

Price of the double-leaf door frame: + 50% (if 3 hinges are used, there is additional payment )

» Additional payment for the third hinge Estetic 80

# ADJUSTABLE DOOR FRAMES

WITH ANGULAR ARCHITRAVE T80 OR T63

## CONSTRUCTION

Adjustable door frame with angular architrave T80 or T63 is equipped with architrave elements with small rounding of the cross-section profile. It is made of a high-quality, wood-based MDF board. On its visual side it is entirely coated with a decorative, wood-imitation DRE-Cell veneer, 3D veneer, CPL laminate 0,15 - 0,2 mm or painted\*\*. Its construction allows for use on walls with span 75-320 mm thick.

\*\*NOTE: To ensure the highest quality of painted door frames, before painting process they are coated with special material which constitutes solid base.



## APPLICATION

Adjustable door frame can be applied for:


- » interior door leaves - rebated and for glass door leaves (ORC)
- » entrance doors ENTER ( includes 3 hinges  $\varnothing$  13, 5 mm, additional latch plate - extra charge 21 PLN net)

## SET CONTAINS


Main beam (one horizontal and two vertical elements together with masking elements), door seal, set of hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.

Door frames used as a set with frame construction doors and door frames with size "90" and wider, should be equipped with three hinges. Door frames for glass door "ORC" are equipped with two hinges  $\varnothing$  15 mm, special latch plate and rubber seal strip.



OR/ORC cross-section with T63 architrave




OR/ORC cross-section with T80 architrave



vertical cross-section of rebated door leaf with OR




vertical cross-section of glass doors with ORC



required wall passage height 2066 mm (2072 mm for glass doors)

OR/ORC horizontal cross-section



D - required width of wall passage

for single-leaf doors

	A	C	D	E**	E*
60	600	644	680	784	750
70	700	744	780	884	850
80	800	844	880	984	950
90	900	944	980	1084	1050
100	1000	1044	1080	1184	1150
110	1100	1144	1180	1284	1250

for double-leaf doors

	A	C	D	E**	E*
100d	1035	1079	1115	1219	1185
110d	1135	1179	1215	1319	1285
120	1235	1279	1315	1419	1385
130	1335	1379	1415	1519	1485
140	1435	1479	1515	1619	1585
150	1535	1579	1615	1719	1685
160	1635	1679	1715	1819	1785
170	1735	1779	1815	1919	1885
180	1835	1879	1915	2019	1985
190	1935	1979	2015	2119	2085
200	2035	2079	2115	2219	2185

\* dimension refer to door frame with T63 architrave

\*\* dimension refer to door frame with T80 architrave

# ADJUSTABLE DOOR FRAMES

WITH K63 ANGULAR ARCHITRAVE

## CONSTRUCTION

Adjustable door frame is made of a high-quality wood-based MDF board. On its visual side it is entirely coated with a decorative wood-imitation DRE-Cell veneer, 3D veneer, Finish foil, painted \*\* - in configuration with K63 architrave. Its construction allows for use in walls ranging between 75-320 mm in thickness.

\*\*NOTE: To ensure the highest quality of painted door frames, before painting process they are coated with special material which constitutes solid base.

## APPLICATION

Adjustable door frame can be applied for:



- » interior rebated door leaf (in all frame construction door and panel door collection having size "90" and wider, door frames should be equipped with three hinges  $\varnothing$  13,5 mm).
- » entrance doors ENTER ( includes 3 hinges  $\varnothing$  13,5 mm, additional latch plate - extra charge 21 PLN net)
- » glass door ("ORC" they are equipped with two hinges  $\varnothing$  15 mm, special latch plate and rubber seal strip).

## SET CONTAINS


Main beam (one horizontal and two vertical elements together with masking elements), door seal, set of hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.




OR/ORC cross-section with K63 architrave



vertical cross-section of rebated door leaves




vertical cross-section of glass doors ORC



required wall passage height 2066 mm (2072 mm for glass doors)

OR/ORC horizontal cross-section



for single-leaf doors

	A	C	D	E
60	600	644	680	750
70	700	744	780	850
80	800	844	880	950
90	900	944	980	1050
100	1000	1044	1080	1150
110	1100	1144	1180	1250

for double-leaf doors

	A	C	D	E
100d	1035	1079	1115	1185
110d	1135	1179	1215	1285
120	1235	1279	1315	1385
130	1335	1379	1415	1485
140	1435	1479	1515	1585
150	1535	1579	1615	1685
160	1635	1679	1715	1785
170	1735	1779	1815	1885
180	1835	1879	1915	1985
190	1935	1979	2015	2085
200	2035	2079	2115	2185

# ADJUSTABLE DOOR FRAMES

WITH VARIABLE HEIGHTS AND ANGULAR ARCHITRAVE T80

By the fact of the interest expressed by our clients in doors of custom sizes, we have introduced to our offer collections of MODERN, PLUS and STANDARD 10 door leaf model with adjustable door frame equipped with angular architrave T80 in 3 additional heights.

## APPLICATION

Adjustable door frame with variable heights with T80 architrave can be used for rebated door leaf STANDARD 10, MODERN and PLUS collections with three additional leaf height options: 1983mm, 2110mm and 2240mm.


## SET CONTAINS

Main beam (one horizontal and two vertical elements together with masking elements), door seal, set of hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.

All rebated door frames in 3 additional height options should be equipped with 3 hinges.




OR vertical cross-section




H	H <sub>S</sub>	hw	H <sub>0</sub>	H <sub>C</sub>
1983	1969	1991	2006	2061
2110	2096	2118	2133	2188
2240	2226	2248	2263	2318

OR cross-section with T80 architrave



OR horizontal cross-section



D - required width of wall passage  
H - door leaf height  
H<sub>0</sub> - required the wall passage height

for single-leaf doors

	A	C	D	E
60	600	644	680	784
70	700	744	780	884
80	800	844	880	984
90	900	944	980	1084
100	1000	1044	1080	1184

for double-leaf doors

	A	C	D	E
120	1235	1279	1315	1419
130	1335	1379	1415	1519
140	1435	1479	1515	1619
150	1535	1579	1615	1719
160	1635	1679	1715	1819
170	1735	1779	1815	1919
180	1835	1879	1915	2019
190	1935	1979	2015	2119
200	2035	2079	2115	2219



# NON-REBATED ADJUSTABLE DOOR FRAMES

NON-REBATED

## CONSTRUCTION

Adjustable non-rebated door frame is made of a high-quality wood-based MDF board. On its visual side it is entirely coated with a decorative wood-imitation DRE-Cell veneer, 3D veneer, CPL laminate, or painted\*\*. Its construction allows to be used with door leaf with the thickness of 40 mm and its design allows to be used on walls with span 75-320. In white mat, black mat, white UV varnish, white pine, sand oak, polish oak 3D white varnish, black varnish, decors from LUX and WOOD collections, there is possibility to choose connection of main beams at 90 degree.

\*\*NOTE: To ensure the highest quality of painted and lacquered door frames, before varnishing or painting process they are coated with special material which constitutes solid base.

## APPLICATION


Adjustable non-rebated door frame can be used with all DRE non-rebated collections of the door leaf.

## SET CONTAINS


Main beam (one horizontal and two vertical elements) with wide angular architrave (80 mm) with small rounding angles of the cross-section profile (R2), door seal, a set of hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.



ORB connection at 45




ORB connection at 90




\*\* connection at 90° is available in white matt, black matt, white acrylic UV varnish, white pine, sand oak, Polish oak 3D, white varnish, black varnish and LUX and WOOD collections

ORB horizontal cross-section




D - required width of wall passage


ORB cross-section 095-300



ORB cross-section 075



vertical cross-section of non-rebated door leaf



required wall passage height 2079 mm

for double-leaf doors

	A	C	D	E
120	1274	1318	1378	1458
130	1374	1418	1478	1558
140	1474	1518	1578	1658
150	1574	1618	1678	1758
160	1674	1718	1778	1858
170	1774	1818	1878	1958
180	1874	1918	1978	2058

for single-leaf doors

	A	C	D	E
60	627	671	711	811
70	727	771	811	911
80	827	871	911	1011
90	927	971	1011	1111
100	1027	1071	1111	1211

\*075-095 door frame has a different cross section, for a 75-89 mm wall thickness, it will be necessary to shorten pen of the adjustable angle element.

Prices include 2 hinges with assembly plates.

Price of door frame for double doors: + 50% (in the case of using 3 hinges there is additional payment)

» Additional payment for the third hinge Estetic 80

» Extra charge for connection of main beams at 90 degree available in white mat, black mat, white UV varnish, white pine, sand oak, polish oak 3D, white varnish, black varnish and decors in collections LUX and WOOD

# NON-REBATED ADJUSTABLE DOOR FRAMES

NON-REBATED WITH VARIABLE HEIGHTS

By the fact of interest expressed by our clients in non-rebated doors of custom sizes, we have introduced to our offer collections MODERN, PLUS and STANDARD 10 door leaf model with non-rebated adjustable door frame in 3 additional heights. Construction of the door frame is the same as in the non-rebated adjustable door frame (they vary only in height).




## APPLICATION

Non-rebated adjustable door frame with variable heights can be used with non-rebated STANDARD 10, MODERN and PLUS door leaf model which are available in three additional door leaf height options: 1983 mm, 2110 mm and 2240 mm.

## SET CONTAINS

Main beam (one horizontal and two vertical elements together with masking elements), door seal, set of hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.


All door frames in 3 additional height options can be equipped with 2 or 3 hinges.



H	H <sub>S</sub>	hw	H <sub>0</sub>	HC
1983	1982	2004	2019	2074
2110	2109	2131	2146	2201
2240	2239	2261	2276	2331

H<sub>0</sub> - required the wall passage height

ORB horizontal cross-section



\*NOTE: 075-095 door frame has a different cross-section, for a 75-89 mm wall thickness, it will be necessary to shorten pen of the adjustable angle element.

for single-leaf doors

	A	C	D	E
60	627	671	711	811
70	727	771	811	911
80	827	871	911	1011
90	927	971	1011	1111
100	1027	1071	1111	1211

for double-leaf doors

	A	C	D	E
120	1274	1318	1378	1458
130	1374	1418	1478	1558
140	1474	1518	1578	1658
150	1574	1618	1678	1758
160	1674	1718	1778	1858
170	1774	1818	1878	1958
180	1874	1918	1978	2058

D - required width of wall passage

# NON-REBATED ADJUSTABLE DOOR FRAMES

FOR DOOR LEAVES WITH INVERTED REBATE

## CONSTRUCTION

Adjustable door frame with inverted rebate is made of a high-quality wood-based MDF board. On its visual side it is painted with highest quality acrylic UV varnish. To ensure the highest quality of painted door frames, before painting process they are coated with special material which constitutes solid base. Its construction allows to be used with door leaf with the thickness of 40 mm and its design allows for use on walls ranging between 90-290 mm.

## APPLICATION


Door frame can be applied to door leaves with inverted rebate, from collection: Uni, Binito, Fargo.

## THE SET CONTAINS


Main beam (one horizontal and two vertical elements) with wide angular architrave T80, door gasket, set of two TECTUS 240 3D hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.




door frame profile




vertical cross-section of ORO



Required height of the wall opening = 2103 mm



horizontal cross-section of ORO




D - required width of wall passage



TECTUS 240 3D hinge

	A	C	D	E	F	S
60	625	694	724	785	834	644
70	725	794	824	885	934	744
80	825	894	924	985	1034	844
90	925	994	1024	1085	1134	944
100	1025	1094	1124	1185	1234	1044


## Decor




white acrylic UV varnish - RAL 9003  
 ecru - RAL 9001  
 latte - Flugger 4362, NCS S1505-Y50R  
 ashen - RAL 7035



UNI 10 - white



Decor



white acrylic UV varnish - RAL 9003  
 ecru - RAL 9001  
 latte - Flugger 4362, NCS S1505-Y50R  
 ashen - RAL 7035

Price of the set	=	price of two vertical beams	+	price of the horizontal beam with architrave panels
------------------	---	-----------------------------	---	---

# NON-REBATED ADJUSTABLE DOOR FRAMES WITH ARCHITRAVE PANELS

WITH ARCHITRAVE PANELS

## CONSTRUCTION

Adjustable non-rebated door frame is made of a high-quality wood-based MDF board. On its visual side it is entirely coated with a foil and in next step is painted. Its construction allows to be used with door leaf with the thickness of 40 mm and its design allows to be used on walls with span 75-320. On horizontal beam there are made special architrave panels in three optional dimensions: 80 mm, 180 mm or 900 mm.

## APPLICATION


Adjustable non-rebated door frame with architrave panels can be used with all DRE non-rebated painted collections.

## SET CONTAINS


Main beam with wide architrave (80 mm) with small rounding angles of the cross-section profile (R2), horizontal beam with architrave panels in 3 optional dimensions, door gasket, a set of hinges, all necessary components for the installation of door frames in accordance with the supplied instruction. Door frames are packed in cardboard boxes.




horizontal cross-section of the lintel




cross-section of vertical beam




vertical cross-section side B side A



Required height of the wall opening = 2079 mm



Horizontal cross section



D - required width of wall passage

for single-leaf doors

	A	C	D	E
60	627	671	711	811
70	727	771	811	911
80	827	871	911	1011
90	927	971	1011	1111
100	1027	1071	1111	1211

\*NOTE: 075-095 door frame has a different cross-section, shallow milling for architrave, for a 75-89 mm wall thickness, it will be necessary to shorten pen of the architrave element.

\*\* - third hinge, option at extra charge


# ADJUSTABLE TUNNEL

WITH K63, T63, T80 ANGULAR ARCHITRAVE


Adjustable tunnel is a decorative cover of wall passage. It can be used as a separate solution or as an integral part of the sliding wall-mounted system NT.

The adjustable tunnel is a product which is, at first glance visually similar to adjustable door frames, but with a few differences:

- » there is no possibility to mount any hinges
- » there is no latch strike plate
- » there is no channel for a gasket different heights and spans of the front and rear architraves (values E and F in tables)




vertical cross-section of adjustable tunnel with T80




required height of wall opening 2067 mm

vertical cross-section of adjustable tunnel with K63 or T63



Adjustable tunnel cross section



**NOTE:** To ensure the highest quality of painted tunnels, before painting process they are coated with special material which constitutes solid base.

## Single adjustable tunnel

symbol	60	70	80	90	100
A	600	700	800	900	1000
C	644	744	844	944	1044
D	664	764	864	964	1064
E*	750	850	950	1050	1150
E**	784	884	984	1084	1184
F*	734	834	934	1034	1134
F**	768	868	968	1068	1168

D - required width of wall passage  
 \*refers to Adjustable Tunnel with T63, K63  
 \*\*refers to Adjustable Tunnel with T80

## Double adjustable tunnel

symbol	120	130	140	150	160	170	180	190	200
A	1200	1300	1400	1500	1600	1700	1800	1900	2000
C	1244	1344	1444	1544	1644	1744	1844	1944	2044
D	1264	1364	1464	1564	1664	1764	1864	1964	2064
E*	1350	1450	1550	1650	1750	1850	1950	2050	2150
E**	1384	1484	1584	1684	1784	1884	1984	2084	2184
F*	1334	1434	1534	1634	1734	1834	1934	2034	2134
F**	1368	1468	1568	1668	1768	1868	1968	2068	2168



GRAFI M1-G18




# EXTENSION PANELS

## APPLICATION

Extension panel it is a component of decorative cover of wall passage but also it can be used as extension to install door frames in walls, which are thicker than 320mm. Panel is an extension of middle parts of adjustable door frames and adjustable tunnels. It might be used together with architraves from previous orders of door frames and adjustable tunnels with connection of main beams at 45 degree. Extension panels with variable heights are available only in Cell and CPL group.

## SET CONTAINS

- » two vertical beams
- » horizontal beam
- » three connecting pens
- » accessories used to connect main beams



\* in ORS max 280  
in ORO max 270  
in TUN max 287

options of the width of panels cross-section

X	062	082	107	127	147	167	187	207	227	247	267	287
---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



# EXTENSION PANELS

## Dimensions of extension panels OR - adjustable door frames for rebated doors

height options					for single-leaf doors						for double-leaf doors											
	PL	198x	211x	224X	"60"	"70"	"80"	"90"	"100"	"110"	"100d"	"110d"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	"190"	"200"	
HŚ	2029	1969	2096	2226	A	600	700	800	900	1000	1100	1035	1135	1235	1335	1435	1535	1635	1735	1835	1935	2035
hw	2051	1991	2118	2248	C	644	744	844	944	1044	1144	1079	1179	1279	1379	1479	1579	1679	1779	1879	1979	2079

## Dimensions of the ORB extension panels connected at 45° - non-rebated adjustable door frames for non-rebated doors connected at 45°

height options					for single-leaf doors					for double-leaf doors							
	PL	198x	211x	224X	"60"	"70"	"80"	"90"	"100"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	
HŚ	2042	1982	2109	2239	A	627	727	827	927	1027	1274	1374	1474	1574	1674	1774	1874
hw	2064	2004	2131	2261	C	671	771	871	971	1071	1318	1418	1518	1618	1718	1818	1918

## Dimensions of TUN extension panels - adjustable tunnels

		for single-leaf doors						for double-leaf doors								
	PL	"60"	"70"	"80"	"90"	"100"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	"190"	"200"	
HŚ	2035	A	600	700	800	900	1000	1200	1300	1400	1500	1600	1700	1800	1900	2000
hw	2057	C	644	744	844	944	1044	1244	1344	1444	1544	1644	1744	1844	1944	2044

## Dimensions of the ORC extension panels - adjustable door frames for glass doors

		"60"	"70"	"80"	"90"	
HŚ	2035	A	600	700	800	900
hw	2057	C	644	744	844	944

## Dimensions of the ORS extension panels - adjustable door frames for folding doors

		PL	"80"	"90"	"100"
HŚ	2029	A	806	906	1006
hw	2051	C	850	950	1050

## Dimensions of ORO extension panels - adjustable door frames for door leaves with inverted rebate

		PL	"60"	"70"	"80"	"90"	"100"
HŚ	2066	A	650	750	850	950	1050
hw	2088	C	694	794	894	994	1094

# STEEL FIXED DOOR FRAMES

## CONSTRUCTION

metal door frames are made of steel low carbon sheet with 1,5 mm thickness, secured with lacquered, organic protective surface. Door frame consist of two vertical elements: latch plate beam and beam with the hinges ( in door frame for double leaf door there are two vertical elements with the hinges) and lintel. Those elements are permanently welded together. Vertical beams with hinges are equipped with sockets for the hinges, while beams for latch plates are equipped with cuts for locks tongue and cuts for dead bolt of dedicated door leaf lock (set includes gasket). Door frame profile, its dimentions, equipment and available colours depends on selected options - type of the door leaf.

## APPLICATION / TYPES OF OSS DOOR FRAMES (FIXED STEEL DOOR FRAMES)

OSS_STAND	OSS For rebated interior doors
OSS_GLASS	OSS for interior glass doors
OSS_ENTER	OSS for the Enter door, Enter Akustik, Revos
OSS_SOLID	OSS for solid doors
OSS_SOLID_RC2	OSS for Solid RC2 door leaf
OSS_ATHOS	OSS for Athos door leaf
OSS_FORCA	OSS for Forca or Forca B door leaf
OSS_OLIMP_EI30	OSS for Olimp EI-30 door leaf

All frames are designed to be mounted on the finished floor.

### STANDARD OPTIONS IN OSS

- » sockets for 2, 3, 4 or 6 hinges
- » socket for latch plate of main lock

### STANDARD OPTIONS IN OSS GLASS

- » sockets for 2 hinges
- » socket for latch plate of main lock

### STANDARD OPTIONS IN OSS ENTER

- » sockets for 3 hinges
- » socket for main lock or additionally for upper lock

### STANDARD OPTIONS IN OSS SOLID

- » sockets for 3 hinges
- » additional sockets for anti-thrust bolts
- » sockets for latch bolts of multi-point lock used in SOLID model

### STANDARD OPTIONS IN OSR SOLID RC2

- » sockets for 3 triple hinges
- » additional sockets for anti-thrust bolts
- » sockets for latch bolts of multi-point lock used in SOLID model

### STANDARD OPTIONS IN OSS ATHOS, FORCA, FORCA B

- » sockets for 3 triple hinges
- » additional sockets for anti-thrust bolts
- » sockets for latch plates of five point mortise lock (FORCA, FORCA B)
- » socket for latch plate of main lock (ATHOS)










### STANDARD OPTIONS FOR OSS OLIMP EI30


- » socket for latch plate of main lock
- » sockets for 3 or 6 triple hinges (6 for double-leaf frames)



## AVAILABLE COLOURS



Door frame is powder coated in two gloss scale (mat / low structure or semi-gloss / plain). There are available colours:

								
white mat	light gray mat	dark gray matt	brown mat	white semigloss	light gray semi-gloss	DARK GRAY semi-gloss	semigloss brown	semi-gloss beige ***
RAL 9003	RAL 7047	RAL 7024	RAL 8017	RAL 9003	RAL 7047	RAL 7024	RAL 8017	RAL 1001

	
black matt	Black semi-gloss
RAL 9005	RAL 9005

Colors in two gloss scale (matte / low structure, semi-gloss / plain).  
\*\*\* beige colour is available only in semi-gloss

# STEEL FIXED DOOR FRAMES




type of the door frame	H0	HŚ	hw	hm	W	SZP
OSS STAND	2071	2027,5*	2062,5	2076	30	90
OSS ENTER						
OSS SOLID						
OSS SOLID RC2						
OSS_GLASS	2077	2033,5	2068,5	2082	30	90
OSS ATHOS	2073	2029,5*	2064,5	2078	38	117
OSS FORCA						
OSS OLIMP EI30	2070	2025,5	2060,5	2074		

H0 - height of the wall passage

HŚ - height of the door frame passage

\* - with the use of a steel threshold - the actual height of the door frame passage will be reduced by 20mm from the floor



D - width of the assembly hole

## OSS OLIMP EI30 for double leaf doors

width symbol	A	C	D	E
„160”	1634	1704	1721	1731
„170”	1734	1804	1821	1831
„180”	1834	1904	1921	1931
„190”	1934	2004	2021	2031
„200”	2034	2104	2121	2131
„210”	2134	2204	2221	2231
„220”	2234	2304	2321	2331

## OSS width dimensions

symbol width.	A	C	D	E	OSS STAND	OSS_GLASS	OSS ENTER	OSS SOLID	OSS SOLID RC2	OSS ATHOS	OSS OLIMP EI30	OSS FORCA
"60"	600	670	687	697	●	●						
"70"	700	770	787	797	●	●	●					
"80"	800	870	887	897	●	●	●	●	●	●	●	●
"90"	900	970	987	997	●	●	●	●	●	●	●	●
"90E"	904	974	991	1001	●		●	●	●			
"90E"	915	985	1002	1012						●	●	●
"100"	1000	1070	1087	1097	●		●	●	●	●	●	●
„110"	1100	1170	1187	1197	●		●			●	●	

\*\*\*\* - investment dimension "90E" different for technical and remaining doors

## OSS STAND dimensions for double leaf doors

width symbol	A	C	D	E
„100D"	1032	1102	1119	1129
„110D"	1132	1202	1219	1129
„120"	1232	1302	1319	1329
„130"	1332	1402	1419	1429
„140"	1432	1502	1519	1529
„150"	1532	1602	1619	1629
„160"	1632	1702	1719	1729
„170"	1732	1802	1819	1829
„180"	1832	1902	1919	1929
„190"	1932	2002	2019	2029
„200"	2032	2102	2119	2129

# ADJUSTABLE METAL DOOR FRAME

The essence of the adjustable door frame is that its construction allows to instal door frame, without additional finishing work. Angular architrave allows for additional adjustment in the range + 30mm.

## APPLICATION / TYPES OF OSR (ADJUSTABLE STEEL DOOR FRAMES)

OSR_STAND	OSR For rebated interior doors
OSR_GLASS	OSR For interior glass doors
OSR_ENTER	OSR for the door leaf Enter, Enter Akustik, Revos
OSR_SOLID	OSS for solid doors
OSR_SOLID_RC2	OSR for Solid RC2
OSR_ATHOS	OSR for Athos door leaf
OSR_FORCA	OSR for Forca or Forca B door leaf
OSR_OLIMP	OSS for Olimp EI-30 door leaf

All frames are designed to be mounted on the finished floor.

The door frames can be used for walls 95-305 mm thick or 103-313 mm thick in the case of OSR FORCA, OSR ATHOS and OSR OLIMP. For a selected wall thickness, the appropriate option of the frame should be selected, the range of which Cmin - Cmax will include the thickness of the finished wall



## CONSTRUCTION

Metal door frames are made of steel low carbon sheet with 1,5 mm thickness, powder painted. Door frame consist of two vertical elements: latch plate beam and beam with the hinges ( in door frame for double leaf door there are two vertical elements with the hinges) and lintel. Those elements are permanently welded together. Vertical beams with hinges are equipped with sockets for the hinges, while beams for latch plates are equipped with cuts for locks tongue and cuts for dead bolt of dedicated door leaf lock (set includes gasket). External and internal side of the door frame is secured with lacquered, organic protective surface. Door frame profile, its dimentions, equipment and available colours depends on selected options - type of the door leaf.

## STANDARD OPTIONS IN OSR STAND

- » sockets for 2, 3, 4 or 6 hinges
- » socket for latch plate of main lock

## STANDARD OPTIONS IN OSR GLASS DOORS

- » sockets for 2 hinges
- » socket for latch plate of main lock

## STANDARD OPTIONS IN OSR ENTER

- » sockets for 3 hinges
- » socket for main lock or additionally for upper lock

## STANDARD OPTIONS IN OSR SOLID

- » sockets for 3 hinges
- » additional sockets for anti-thrust bolts
- » sockets for latch bolts of multi-point lock used in SOLID model

## STANDARD OPTIONS IN OSR SOLID RC2

- » sockets for 3 triple hinges
- » additional sockets for anti-thrust bolts
- » sockets for latch bolts of multi-point lock used in SOLID model

## STANDARD OPTIONS IN OSR ATHOS, FORCA, FORCA B

- » sockets for 3 triple hinges
- » additional sockets for anti-thrust bolts
- » sockets for latch plates of five point mortise lock (FORCA, FORCA B)
- » socket for latch plate of main lock (ATHOS)

## STANDARD OPTIONS FOR OSR OLIMP EI30


- » sockets for 3 threefold hinges
- » socket for latch plate of main lock

## AVAILABLE COLOURS



Door frame is powder coated in two gloss scale (mat / low structure or semi-gloss / plain). There are available colours:

Colors in two gloss scale (matte / low structure, semi-gloss / plain).

\*\*\* beige colour is available only in semi-gloss




# ADJUSTABLE METAL DOOR FRAME



\* - with the use of a steel threshold - the actual height of the door frame passage will be reduced by 20mm from the floor

OSR door frame profile with the T57 architrave



\*\* 91 for OSS ATHOS, OSR FORCA, OSR FORCA B and OSR OLIMP EI 30

OSR width dimensions

symbol width.	A	D	E	OSR_STAND	OSR_GLASS DOORS	OSR_ENTER	OSR_SOLID	OSR_SOLID_RC2	OSR_ATHOS	OSS FOR OLIMP EI-30 DOOR LEAF	OSR_FORCA
"60"	600	690	719	•	•						
"70"	700	790	819	•	•	•					
"80"	800	890	919	•	•	•	•	•	•	•	•
"90"	900	990	1019	•	•	•	•	•	•	•	•
"90E"	904	994	1023	•	•	•	•	•	•	•	•
"90E"	915	1005	1034						•	•	•
"100"	1000	1090	1119	•	•	•	•	•	•	•	•
"110"	1100	1190	1219	•	•	•	•	•	•	•	•

OSR STAND dimensions for double leaf doors

width symbol	A	D	E
"100b"	1032	1122	1151
"110b"	1132	1222	1251
"120"	1232	1322	1351
"130"	1332	1422	1451
"140"	1432	1522	1551
"150"	1532	1622	1651
"160"	1632	1722	1751
"170"	1732	1822	1851
"180"	1832	1922	1951
"190"	1932	2022	2051
"200"	2032	2122	2151

\*\*\*\* - investment dimension "90E" different for technical and remaining doors

type of the door frame	H0	Hs	hw	hm	W
OSR_STAND	2073	2027,5*	2088	2087	30
OSR_ENTER					
OSR_SOLID					
OSR_SOLID_RC2					
OSS_GLASS	2079	2033,5	2094	2093	30
OSR_ATHOS	2073	2027,5*	2088	2087	38
OSR_FORCA					
OSR OLIMP EI30	2073	2027,5	2088	2087	

H0 - height of the wall passage  
 Hs - height of the door frame passage  
 \* - with the use of a steel threshold - the actual height of the door frame passage will be reduced by 20mm from the floor

# HYBRID STEEL DOOR FRAMES

## CONSTRUCTION

Steel hybrid door frame - it is an innovative solution in our sale offer, which combine solidity of metal construction with additional functionality it allows to finish wall passage by using door frame elements made of MDF, coated with CPL laminate. Hybrid metal door frame it is combination of metal door frame with fixed width, MDF panel available in 11 optional variants of width and masking architrave. This solution allows to finish walls with thickness ranging between 137-337 mm (145 - 345 for technical door leaves), and additional possible adjustment up to 20 mm.

Door frame profile, its dimensions and equipment depend on selected option - door leaf model.

## APPLICATION / TYPES OF OSH DOOR FRAMES (HYBRID STEEL DOOR FRAMES)

OSH_STAND	OSH for rebated interior door leaf
OSH_GLASS	OSH For interior glass doors
OSH_ENTER	OSH for the door Enter, Enter Akustik, Revos
OSH_SOLID	OSH for Solid doors
OSH_SOLID_RC2	OSH for Solid RC2
OSH_ATHOS	OSH for the Athos door leaf
OSH_FORCA	OSH for Forca or Forca B door leaf
OSH_OLIMP	OSH for Olimp EI-30 door leaf

All frames are designed to be mounted on the finished floor.

### STANDARD OPTIONS IN OSH STAND

- » sockets for 2 or 3 hinges
- » socket for latch plate of main lock
- In the door frame for double leaf doors - sockets for 4 or 6 hinges

### STANDARD OPTIONS IN OSH GLASS

- » sockets for 2 hinges
- » socket for latch plate of main lock

### STANDARD OPTIONS IN OSH ENTER

- » sockets for 3 hinges
- » socket for main lock or additionally for upper lock

### STANDARD OPTIONS IN OSH SOLID

- » sockets for 3 hinges
- » additional sockets for anti-thrust bolts
- » sockets for latch bolts of multi-point lock used in SOLID model

### STANDARD OPTIONS IN OSH SOLID RC2

- » sockets for 3 triple hinges
- » additional sockets for anti-thrust bolts
- » sockets for latch bolts of multi-point lock used in SOLID model

### STANDARD OPTIONS IN OSH ATHOS, FORCA

- » sockets for 3 triple hinges
- » additional sockets for anti-thrust bolts
- » sockets for latch plates of five point mortise lock (FORCA, FORCA B)
- » socket for latch plate of main lock (ATHOS)

### STANDARD OPTIONS FOR OSH OLIMP EI30

- » socket for latch plate of main lock
- » sockets for 3 triple hinges


## Available colours

The metal part of the door frame is powder coated in two gloss levels: mat / low structure or semi-gloss / plain, available in the following colors:




\*\*\* beige colour is available only in semi-gloss

Adjustable panel with a architrave, coated with CPL laminate from the list below:



# HYBRID STEEL DOOR FRAMES

## Steel Hybrid door frames - dimensions




type of the door frame.	H0	H <sub>s</sub>	h <sub>m</sub>	HC
OSH_STAND	2083	2027,5*	2092,5	2124
OSH_ENTER				
OSH_SOLID_RC2				
OSH_GLASS	2089	2033,5	2098,5	2130
OSH_ATHOS	2085	2029,5*	2094,5	2126
OSH_FORCA				
OSH_OLIMP	2081	2025,5	2090	2122

H0 - height of the wall passage

H<sub>s</sub> - height of the door frame passage

\* - with the use of a steel threshold - the actual height of the door frame passage will be reduced by 20mm from the floor

### X-X



### Dimensions of the door frame width


width symbol	A	D	E	F	OSH_STAND	OSH_GLASS	OSH_ENTER	OSH_SOLID	OSH_SOLID_RC2	OSH_ATHOS	OSH_FORCA	OSH FOR OLIMP EI-30 DOOR LEAF
"60"	600	710	730	792	•	•						
"70"	700	810	830	892	•	•	•					
"80"	800	910	930	992	•	•	•	•	•	•	•	•
"90"	900	1010	1030	1092	•	•	•	•	•	•	•	•
"90E"	904	1014	1034	1096	•		•	•				
"90E"	915	1025	1045	1107						•	•	•
"100"	1000	1110	1130	1192	•		•	•	•	•	•	•
"110"	1100	1210	1230	1292	•		•			•		•

\*\*\*\* - investment dimension "90E" different for technical and remaining doors

### OSH STAND dimensions for double leaf doors

symbol width.	A	D	E	F
"100D"	1032	1142	1162	1224
"110D"	1132	1242	1262	1324
"120"	1232	1342	1362	1424
"130"	1332	1442	1462	1524
"140"	1432	1542	1562	1624
"150"	1532	1642	1662	1724
"160"	1632	1742	1762	1824
"170"	1732	1842	1862	1924
"180"	1832	1942	1962	2024
"190"	1932	2042	2062	2124
"200"	2032	2142	2162	2224

### door frame profile



For a specific wall thickness, select the appropriate option of the adjustable panel with an architrave ( $C_{min}$ )

\*\*\* - dimensions for OSH ATHOS, OSH FORCA and OSH OLIMP EI 30

\*\* - dimensions for remaining OSH frames

# DOOR HANDLES



handle MEDA - shiny chrome inserts in DRE-Cell, 3D and CPL colours




backplate for simple key



backplate for cylinder lock



backplate for toilet lock



QUBIK handle - black with an antibacterial surface




backplate for simple key



backplate for cylinder lock



backplate for toilet lock\*



CUBE SLIM handle - brushed chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



the CUBE SLIM handle - shiny brass



back plate for simple key 49 PLN



backplate for cylinder lock



backplate for toilet lock



handle TOTAL - brushed nickel mat




backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle IBIZA - black matt



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle CUBE - shiny chrome




backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle CUBE - brushed nickel



backplate for simple key



backplate for cylinder lock




backplate for toilet lock

\* - the handle and the toilet knobs are covered with an antibacterial coating



# DOOR HANDLES



door handle CUBE - black matt



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle MONDO - nickel satin



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle TREND - satin nickel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle PRIMA - nickel satin



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle LINEA - shiny chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle LINEA - nickel satin



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle BELLA SLIM - glossy chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle BELLA SLIM - glossy brass



backplate for simple key lock



backplate for cylinder lock



backplate for toilet lock

# DOOR HANDLES



door handle ZORBA - shiny chrome/satin



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



handle JOWISZ - stainless steel



backplate for simple key PLN



backplate for cylinder lock



backplate for toilet lock



door handle NOVA - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle PROXIMA - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle TOPAZ - stainless steel




backplate for simple key



backplate for cylinder lock




backplate for toilet lock



handle TOPAZ - stainless steel, black mat



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle ONYX M - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle LUNA - brushed chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock

# DOOR HANDLES



door handle LUNA - glossy brass



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



handle IBIZA - graphite/chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle IBIZA - nickel satin



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle IBIZA - shiny chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle BETA - nickel satin



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle EUROPA - nickel satin



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle TOMA - black



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle QUANTA - nickel - satin



backplate for simple key



backplate for cylinder lock



backplate for toilet lock

# DOOR HANDLES



door handle WARNA - nickel satin



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle ALVA LUX - black matt



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle PEM LUX - gloss chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle AS LUX - titanium



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle LEA LUX - gloss chrome



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle FOKUS - nickel satin velvet




backplate for simple key



backplate for cylinder lock



backplate for toilet lock



handle JANE - lacquered nickel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle UNO - stainless steel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock

# DOOR HANDLES



door handle ROMANA - chrome / nickel lacquered



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle TIK-QR - anthracite



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle QUBIK - nickel lacquered



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



door handle LIBRA - satin nickel



backplate for simple key



backplate for cylinder lock



backplate for toilet lock



ZORBA door handle with oblong backplate - shiny chrome/satin



door handle ZORBA with oblong backplate for simple key - shiny chrome / satin (span 72mm)



ZORBA door handle with oblong backplate for cylinder lock - shiny chrome/satin (span 72 mm)



ZORBA door handle with oblong backplate for toilet lock - shiny chrome/satin (span 72 mm)



door handle SHARK black and inox



backplate SHARK black and inox

door handle SZARK for the SOLID / ENTER



DIVA door handle and back plate for door leaves FORCA 10 and FORCA B 10 silver F1 door handle backplate



ONTARIO door handle and backplate for SOLID RC2 model silver colour F1 door handle backplate



# DOOR HANDLES



technical handle STAR TEC - class IV - stainless steel matt price for a set (handle + backplate for cylinder lock)



backplate for cylinder lock

door leaf thickness up to 55 mm



PEGAZ door handle (span 72 mm) Nickel mat for cylinder lock



door handle TOM with oblong backplate for cylinder lock (span 72 mm) matt chrome

exterior backplate

interior backplate




handle METRO (span 72 mm) stainless steel for cylinder lock

upper backplate METRO stainless steel for cylinder lock


NOTE:  
selection of left or right door handle\*.  
Door handle in set with backplate is adapted to door leaf with two locks except SOLID collection.

NOTE:  
selection of left or right door handle\*.  
Door handle in set with backplate is adapted to door leaf SOLID with two locks.

\*left door handle



\*right door handle



exterior TOTAL door handle with oblong backplate (span 72 mm) inox plus -



upper backplate TOTAL short inox plus

## PATENTED CYLINDERS



patented cylinder 26/41 - nickel mat patented cylinder 26/41 - brass satin



single key system



set of patented cylinder ZN 30/40+30G/40 SN or ZN 30/40+40G/30 SN nickel satin

set of patented cylinder ZN 30/40+30G/40 SB or ZN 30/40+40G/30 SB brass satin

## SELF-CLOSER



self-closer DORMA



self-closer GEZE

# DECORS



white (wood grain structure)	white mat	white pine	siberian elm	silver	sand oak
bleached oak textured	vintage oak	tabac elm	beech**	alder**	toffee oak ***
anthracite elm	golden oak textured	walnut	dark walnut textured	caramel walnut	gray textured
black matt	gray oak textured***	dark wenge	marrone chestnut textured	black textured	NEW light gray mat
antique copper	oxide concrete	NEW evoke oak			

\*while stock last

\*\*\* decors available only in horizontal wood grain




american walnut	ebony	elm	polish oak 3D	grand oak
-----------------	-------	-----	---------------	-----------


# DECORS



UV acrylic lacquer  
RAL=9003



RAL=9001






Flugger = 4362  
NCS = S1505-Y50R



RAL=7035







## Decors in LUX collection



## Decors in DRE-CLARO, GRAFI collection



## Decors in WOOD collection







milky white

CPL 0,2 mm thick  
CPL 0,7 mm thick




gray oak

CPL 0,2 mm thick  
CPL 0,7 mm thick




welsh oak

CPL 0,2 mm thick  
CPL 0,7 mm thick



walnut

CPL 0,2 mm thick  
CPL 0,7 mm thick



celini walnut

CPL 0,2 mm thick  
CPL 0,7 mm thick




concrete 2

CPL 0,2 mm thick  
CPL 0,7 mm thick




acacia

CPL 0,2 mm thick  
CPL 0,7 mm thick



honey oak

CPL 0,2 mm thick  
CPL 0,7 mm thick



chestnut

CPL 0,2 mm thick  
CPL 0,7 mm thick



roasted walnut

CPL 0,2 mm thick  
CPL 0,7 mm thick



white

W0118  
CPL 0,15 mm thick  
CPL 0,7 mm thick



ashen

CPL 0,2 mm thick  
CPL 0,7 mm thick



DARK GRAY

CPL 0,2 mm thick  
CPL 0,7 mm thick



alpine white

# DRE-PRINT collection G

NON-REBATED DOOR LEAF  
interior door leaf



## Scaling of the patterns in G1 - G6 graphics in the selected door leaves widths right opening

G1 graphic pattern



"60"

G2 graphic pattern



"60"

G3 graphic pattern



"60"

G4 graphic pattern



"60"

G5 graphic pattern



"60"

G6 graphic pattern




"60"




"70"



"70"



"70"



"70"



"70"



"70"




"90"




"90"



"90"



"90"



"90"




"90"




"100"




"100"




"100"



"100"



"100"




"100"

Scaling of graphics patterns in the width of the door leaf "80" is presented on page 54 and 55

## Scaling of the patterns in G7 - G12 graphics in the selected door leaves widths right opening

G7 graphic pattern



"60"

G8 graphic pattern




"60"

G9 graphic pattern



"60"

G10 graphic pattern




"60"

G11 graphic pattern




"60"

G12 graphic pattern



"60"




"70"



"70"




"70"



"70"



"70"




"70"




"90"




"90"




"90"



"90"



"90"




"90"




"100"




"100"




"100"



"100"



"100"



"100"

Scaling of graphics patterns in the width of the door leaf "80" is presented on page 54 and 55

# DRE-PRINT collection G

NON-REBATED DOOR LEAF  
interior door leaf




## Scaling of the patterns in G13 - G18 graphics in the selected door leaves widths right opening

G13  
graphic pattern



"60"

G14  
graphic pattern



"60"

G15  
graphic pattern



"60"

G16  
graphic pattern



"60"

G17\*  
graphic pattern



"60"


G18\*  
graphic pattern



"60"



"70"




"70"



"70"



"70"



"70"



"70"



"90"



"90"



"90"



"90"



"90"



"90"



"100"



"100"



"100"



"100"



"100"



"100"

Scaling of graphics patterns in the width of the door leaf "80" is presented on page 54 and 55  
\* the pattern has versions for the right and left door leaf

## Scaling of the patterns in G19 - G25 graphics in the selected door leaves widths right opening

G19  
graphic pattern



"60"

G20\*  
graphic pattern



"60"

G21  
graphic pattern



"60"

G22  
graphic pattern



"60"

G23  
graphic pattern



"60"

G24\*  
graphic pattern



"60"

G25  
graphic pattern



"60"



"70"



"70"



"70"



"70"



"70"



"70"



"70"



"90"



"90"



"90"



"90"



"90"



"90"



"90"



"100"



"100"



"100"



"100"



"100"




"100"




"100"

Scaling of graphics patterns in the width of the door leaf "80" is presented on page 54 and 55  
\* the pattern has versions for the right and left door leaf


# GLASS PANE PATTERNS




pattern 1 VETRO transparent



pattern 1 VETRO decormat




pattern 1 VETRO decormat brown



pattern 1 VETRO decormat graphite




VETRO pattern E black opaque laminated glass




VETRO pattern E laminated glass decormat




pattern 2 VETRO




pattern 3 VETRO



pattern 4 VETRO




pattern 5 VETRO




pattern 10 VETRO



pattern 11 VETRO




pattern 12 VETRO



pattern 13 VETRO




pattern 14 VETRO



pattern 15 VETRO


# GLASS PANE PATTERNS




mat dre



decomat graphite



white frost laminated VSG 22.1, plain on both sides



decomat brown



window blind



chinchila




white bark

## PRICES

Prices and availability of glass panes are presented on pages with door leaves. The glass in the door leaves of our collections have obverse and reverse (except VSG 22.1 and VETRO E).

# ARCHITRAVES AND SKIRTING BOARDS

## ARCHITRAVES




application: fixed door frame, fixed door frame SOFT

**Set contains (for one side of the door):**  
one horizontal and two vertical components, pins and clips. Architrave are packed in a cardboard boxes.



## QUARTER ROUNDS

## SKIRTING BOARDS




Lenght of LPP4W is 2,40 mb  
It is made of moisture resistant board.

## VENTILATION GRILLE

There is possibility to instal bathroom plastic ventilation grille, which is available in the following colours: white, beige, calvados, brown, silver, creamy, gray, black and ashen (except of frame construction doors, sliding system doors, fire resistant doors and SOLID, ENTER) or aluminum ventilation grille

net price    gross price

- » plastic ventilation grille
- » aluminum ventilation grille



plastic ventilation grille



aluminum ventilation grille



# VENTILATION ACCESSORIES AND OTHER

## VENTILATION SLEEVES FOR PANEL DOORS

There is possibility to purchase a set (5 pcs) of ventilation sleeves. DRE-Cell Decor, 3D foil, CPL laminate.



## VENTILATION SLEEVES FOR FRAME CONSTRUCTION DOOR LEAF

For frame construction door leaf, except VETRO, it is possible to use metal or plastic ventilation sleeves (3 sleeves for "60", 4 sleeves for "70", 5 sleeves for "80" - "100")

### METAL VENTILATION SLEEVES

stainless steel



steel sleeve square  
60 x 60 mm

steel sleeve round  
outside diameter  
55 mm

### PLASTIC VENTILATION SLEEVES



## VENTILATION UNDERCUT

In all collections (except SOLID, SOLID RC2, ENTER, FIRE resistant door leaves, sliding doors, folding), ventilation undercut can be made upon request.



ventilation undercut

### HINGE COVERS

» (set consist of 2 pcs. for 1 hinge)


Plastic hinge covers are adjusted to hinges with a diameter of 13,5 mm.

» thimble (price for 1 pcs.)



# TECHNICAL INFORMATIONS

## DOOR LEAF DIMENSION AND PLACEMENT OF HINGES



\*\* Olimp EI60 two options of hinges (depending on the width of the door)

# TECHNICAL INFORMATIONS

## DOOR LEAF WIDTH

Symbol of the door dimension	S	SW	SWSE	SWS
"60"	644	618	-	-
"70"	744	718	-	-
"80"	844	818	824	824
"90"	944	918	924	924
"100"	1044	1018	-	1024
"110*"	1144	1118	-	-

S - total door leaf width  
 SW - width in the rebate (refers to rebated door leaf)  
 SWSE - width in the rebate of Sara Eco door leaf  
 SWS - width in the rebate of folding door leaf  
 \* - width "110" is only available in door leaves Standard 10, Athos, Enter Acoustic and Olimp

NOTE: Total width of "40" side panels is 444 mm.

## ADDITIONAL WIDTHS OF THE DOOR LEAF

Symbol of the door dimension	S	SW
"90E" for OLIMP EI30, ATHOS, FORCA, FORCA B.	959	933
"90E" for OLIMP EI60	969	943
"90E" for STANDARD, ENTER, ENTER AKUSTIK, SOLID, SOLID RC2	948	922

The investment standard "90E" provides 900mm passage in the door frame with the door leaf opened at an angle of 90 degrees

## DIMENSIONS OF THE DOOR LEAF WITH 4 VARIABLE HEIGHTS

(refers to door leaf STANDARD 10 and collections MODERN and PLUS)

H	H1	HK	HZ	HZ2	HZ3
1983	1970	850	1672	606	1653
2043	2030	910	1732	626	1713
2110	2097	977	1799	647	1780
2240	2227	1107	1929	691	1910

H - total height of the door leaf  
 H1 - door leaf height in the rebate  
 HK - distance from the top rebate of door leaf to the axis of the handle  
 HZ - distance from the upper edge of the door leaf to the mounting point of the third hinge

## DOOR LEAF HEIGHT

2043 mm - total height of rebated and non-rebated door leaf (2010 for folding doors)  
 2030 mm - total height of door leaf in rebate (2033 for Sara Eco rebated door leaf, 2000 for folding doors)  
 2055 mm - total height of the door leaves with inverted rebate  
 1983, 2043, 2110, 2240 mm - total possible height of STANDARD 10 door leaf and MODERN and PLUS collection (1970, 2030, 2097, 2227 mm - measured in the door leaf rebate)

## SHORTENING OF DOOR LEAF

There is possibility to shorten door leaf by your own, up to 60 mm (there is no possibility to shorten following door leaf: VETRO, FIRE RESISTANT DOORS, FORCA B, door leaf of all collections in the sliding version, passive doors, glass doors, folding doors and door leaves with dropping seal).

## CLEARANCE BETWEEN DOOR LEAF AND FLOOR

standard clearance between door leaf and finished floor is 8 mm high ( 15 mm in FOLDE door leaf, 5-6 mm in OLIMP door leaf).

## NOTES REFERED TO HINGE

In rebated door leaf: frame construction doors, entrance (Enter, Enter Acoustic, Solid) and in the other collections with size wider than "90", 3 screw-in pivot hinges of  $\varnothing$  13,5 mm are mounted. For other interior rebated leaves, there is possibility to choose 2 or 3 hinges.

In SOLID RC2, FORCA, FORCA B, ATHOS and OLIMP EI30 door leaf there are mounted 3 threefold hinges.

The OLIMP EI60 leaves, depending on the width, are equipped with 3 three-part hinges or 3 SIMONSWERK hinges VX 7939/160.


Non-rebated door leaf come with pre-milled sockets for two or three hidden concealed hinges which are attached together with non-rebated door frame.

Sara Eco rebated and non-rebated door leaf come with pre-milled sockets for concealed hinges that are attached together with the door frame.

Folding doors come with 3 hidden concealed hinges which join two parts of door leaf.

Door leaves with inverted rebate have sockets for two concealed hinges, which are packed together with door frame.

## Non-rebated door leaf



edge without rebate




magnetic lock



concealed hinge


## REBATED DOOR LEAF



straight edge



screw-in hinge



threefold hinge



threefold hinge



SIMONSWERK VX 7939/160 hinge

# TECHNICAL INFORMATIONS


## DOOR LEAF THICKNESS AND SELECTION OF PATENTED CYLINDER

Door leaf type	Door leaf thickness	proportion in the door leaf (W0/Z0)	recommended** dimension of the patented cylinder (W/Z)	Refers to patented cylinder with door knob	
				Patented cylinder with a door knob inside (W/Z)	Patented cylinder with a door knob outside (W/Z)
rebated door leaf	40	14 / 26	25 / 40 26 / 36 26 / 41 30 / 40	25G / 40 26G / 36 26G / 41 30G / 40	25 / 40G 26 / 36G 26 / 41G 30 / 40G
Sara Eco, Sara Eco 2 rebated door leaves	40	24 / 16	35 / 30 36 / 26 36 / 31 40 / 30	35G / 30 36G / 26 36G / 31 40G / 30	35 / 30G 36 / 26G 36 / 31G 40 / 30G
Non-rebated door leaf	40	20 / 20	31 / 31 30 / 30 35 / 35	31G / 31 30G / 30 35G / 35	
Sara Eco, Sara Eco 2 non-rebated door leaves	40	16 / 24	30 / 35 26 / 36 31 / 36 30 / 40	30G / 35 26G / 36 31G / 36 30G / 40	30 / 35G 26 / 36G 31 / 36G 30 / 40G
Door leaf with inverted rebate	40	27 / 13	40/25 41/26	40G / 25 41G / 26	40 / 25G 41 / 26G
Folding doors	40	17/23	30/35 31/36 30/40	30G / 35 31G / 36 30G / 40	30 / 35G 31 / 36G 30 / 40G
fire resistance Athos	50	21 / 29	31 / 41 35 / 40	31G / 41 35G / 40	31 / 41G 35 / 40G
Olimp EI30	50	18 / 32	30 / 45 31 / 46	30G / 45 31G / 46	30 / 45G 31 / 46G
Olimp EI60	60	28 / 32	40 / 45 41 / 46	40G / 45 41G / 46	40 / 45G 41 / 46G
fire resistance FORCA	50	22 / 28	35 / 40		
SOLID RC2	40,6	14 / 26,6	26 / 40 26 / 41 30 / 40		

Patented cylinders are reversible - that is 25/40 = 40/25, 26G/36 = 36/26G

\*\*recommended dimensions (assuming that backplate is 10 mm thick, and patented cylinder doesn't exceed 5 mm above backplate).

fig. selection of patented cylinder dimension




Dimension of patented cylinder is calculated using the following formula:

$W0 + \text{backplate thickness} + 2 \div 3 \text{mm} / Z0 + \text{backplate thickness} + 2 \div 3 \text{mm}$

where:

W0 and Z0 - values have been presented in the table above  
thickness of the backplate - measured (presented values in above table assume that backplate is 10mm thick)

fig. selection of patented cylinder dimension with door knob



Selection of backplate with door knob - if we want to mount a knob on:


- the inner side of door leaf - symbol of the door knob must be next to "W" dimension (see column 5 in the table)

- the external side of the leaf - symbol of the door knob must be next to "Z" dimension (see column 6 in the table)

# TECHNICAL INFORMATIONS

## SINGLE REBATED DOOR LEAF

We offer left, right and central door leaf





## DOUBLE REBATED DOOR LEAF

We offer double leaf doors: the right - then right door leaf becomes an active one and left door leaf becomes inactive, and double left leaf - left leaf is an active one and the right one is inactive.

An active door leaf has a rebate and a lock as a standard option. In double leaf door there is available only straight edge.

Inactive door leaf comes with a "counter rebate" and additionally is equipped with a latch strike plate and a flush bolt as a standard fitting (A)



flush bolt (A)

Only door frames produced by DRE fit double-leaf doors, that is the reason that we recommend to our customers to buy doors as a complementary sets. Whole DRE set comprises of 2 door leaf and door frame.

$$\boxed{\text{price of double leaf door}} = \boxed{\text{leaf price} \times 2} + \boxed{\text{price of the fire resistance}}$$


Symbol of door dimension	dimension in [mm]		
	S2	S2W	combination* Sc+Sb
"100d"	1078	1052	644+444
"110d"	1178	1152	744+444
"120"	1278	1252	844+444; 644+644
"130"	1378	1352	944+444; 744+644; 644+744
"140"	1478	1452	1044+444; 844+644; 744+744; 644+844
"150"	1578	1552	944+644; 844+744; 744+844; 644+944
"160"	1678	1652	1044+644; 944+744; 844+844; 744+944; 644+1044
"170"	1778	1752	1044+744; 944+844; 844+944; 744+1044
"180"	1878	1852	1044+844; 944+944; 844+1044
"190"	1978	1952	1044+944; 944+1044
"200"	2078	2052	1044+1044

combination\* possible combination of active (Sc) and inactive (Sb) leaf width

# TECHNICAL INFORMATIONS


## NON-REBATED DOOR LEAF - SLIDING VERSION

We offer left, right and central door leaf (door leaf without a lock and handle)



## SINGLE DOOR LEAF NON-REBATED


We offer left, right and central door leaf



## DOUBLE LEAF NON-REBATED DOOR

We offer double leaf doors: the right - then right door leaf becomes an active one and left door leaf becomes inactive, and double left leaf - left leaf is an active one and the right one is inactive.

An active door leaf has lock as a standard option. Inactive door leaf is equipped with a latch strike plate and a flush bolt as a standard fitting.



\* for double leaf non-rebated doors there is possibility to purchase cover stripe width of cover stripe 30 mm

$$\text{price of double leaf door} = \text{leaf price} \times 2 + \text{price of the fire resistance}$$

Symbol of door dimension	dimension in [mm]	
	S2	combination* Sc+Sb
"120"	1291	644+644
"130"	1391	744+644; 644+744
"140"	1491	844+644; 744+744; 644+844
"150"	1591	944+644; 844+744; 744+844; 644+944
"160"	1691	1044+644; 944+744; 844+844; 744+944; 644+1044
"170"	1791	1044+744; 944+844; 844+944; 744+1044
"180"	1891	1044+844; 944+944; 844+1044

combination\* - possible combination of active (Sc) and inactive (Sb) leaf width


# TECHNICAL INFORMATIONS

## CONSTRUCTION OF PANEL DOORS


- » door leaf frame made of soft wood or MDF
- » Core: stabilizing insert "honeycomb" (A), perforated chipboard (B) and in fire proof doors: chipboard
- » External 3mm HDF board or external HDF 4mm board (in Finea, Finea B, Enter, Enter Acoustic, Solid)
- » type of edge "karnies", straight or without rebate

- External boards of door leaf is finished with:
- a) in DRE-Cell decor collection - decorative foil based on the polypropylene
  - b) in 3D foil - 3D foil based on decorative paper
  - c) in CPL laminate - CPL laminate th. 0.15-0.2mm or 0.7-0.8mm


Fire resistant door leaf Olimp EI30




Fire resistant door leaf Olimp EI60




Anti-burglary door and fire-resistant door leaf Forca EI30




Anti-burglary door leaf Forca B




Anti-burglary door leaf SOLID RC2



Fire-resistant door leaf Forca EI30



(A) stabilising insert "honeycomb"



(B) perforated chipboard

# TECHNICAL INFORMATIONS

## FRAME CONSTRUCTION DOORS (IS NOT REFERRED TO VETRO A,B,C,D,F)

Frame construction door leaf is entirely made of MDF:

vertical stiles made of 40mm


horizontal rails (exterior) are made of 35 mm MDF

horizontal rails (interior):


22 mm MDF in door leaves models Auri, Piano, Even, Premium, Fosca, Semi, Verso, Reva, Solte, , Triesta\*, Ena\*, Verano\* and Emena\* (\* in Ena 1-2, Triesta 1-2, Emena 1-2, Verano 1-2, collections, horizontal rail is made of 35 mm MDF - it refers to rail located next to large glass pane. While in models Ena 3-5, Verano 3-5, Emena 3-5 and Triesta 3 such a construction is referred to two rails located next to large glass pane.

- 35 mm MDF in Nestor, Elsa, Scala, Berge, Estra door leaves.


Horizontal cross-section of door leaf  
Auri, Emena, Verano, Piano, Premium, Fosca, Verso,  
Ena, Even, Triesta, Reva, Solte




Horizontal cross-section of ELSA




Horizontal cross-section of Ena, Verano,  
Emena and Triesta (cross-section refers to  
rail located next to large glass pane)



Horizontal cross-section of Nestor



Horizontal cross section of the door leaf Scala, Berge



## FILLINGS OF FRAME CONSTRUCTION DOOR LEAF:

Scala A; - 4 mm glass pane, flat 4 mm HDF board

Scala B - 4 mm glass pane, 19 mm MDF profiled board

Elsa A - 4 mm glass pane, flat 4 mm HDF board

Elsa B - 4 mm glass pane, 19 mm MDF profiled board

Premium 1-3 - 4 mm glass pane

Premium 4-7, 12 - 4 mm glass pane, 4 mm HDF marquetrys made in door leaf colour

Premium 8-11, 13 - 4 mm glass pane, 4 mm HDF marquetrys coated with silver laminate

Piano 1-6 - 4 mm glass pane, 16 mm MDF profiled board

Piano 9-12 - 4 mm glass pane, 19 mm MDF profiled board

Fosca 1-3 - 4 mm glass pane, 4 mm HDF board coated with silver laminate


Fosca 4-6 - 4 mm HDF board coated with veneer in door leaf colour

Nestor, Berge - 4 mm glass, 19 mm profiled MDF panel


Ena, Triesta, Auri, Verano, Emena, Even, Reva, Solte, Verso - 4 mm glass pane

Estra - 4 mm glass, 16 mm flat MDF panel, undercut

profile of 19 mm MDF board  
(Scala B, Piano 9-12, Elsa B,  
Nestor, Berge)



profile of 16 mm MDF  
(Piano 1, 2, 5, 6)





# TECHNICAL INFORMATIONS

## KICK PLATES

Kick plates so called „OKOPNIKI“ it is finishing solution for selected panel door models with straight edge.

We offer door leaf covered with thin 0.6 mm metal sheets made of stainless steel optional bottom and middle panels. It is also possible that both of panels are instaled at the same time on the selected door leaf. Height of the panel is 300 mm.

Door leaf with kick plates must be filled with perforated chipboard.



door leaf model with bottom panel

door leaf model with middle panel

door leaf model with bottom and middle panel

There is possibility to order door leaf with bottom panel and ventilation undercut.

**NOTE: If you wish to place an order, please contact the Customer Service Department.**

## REMAINING TECHNICAL INFORMATIONS:

1. While maintaining standard dimensions of door leaf and door frame, clearance between "finished" floor and bottom edge of the door leaf is 8 mm. In order to reduce clearance, door frame should be appropriately shortened at the bottom (it doesnt refer to FOLDE and OLIMP)

2. Note! Prior to the purchase and assembly of construction woodwork, check whether the selected type of joinery meet technical requirements of the project and technical drawings, it is particularly necessary to make sure that the construction of walls and ceilings allows for the mounting of construction woodwork of weight specified in the table below:

	door leaf			Door frames		other products	
	interior	entrance	fire-resistance	adjustable	fixed	Adjustable tunnel	Sliding system
<b>Max weight</b>	50 kg*	50 kg*	105 kg*	40 kg	20 kg	40 kg	20 kg

\* max weight of single door leaf

3. Door leaf is wrapped in shrink film and the edges are additionally protected with Styrofoam or cardboard inserts.

4. Price of door leaf does not include door handles, backplates and patented cylinders (with the exception of SCALA A and B collections in rebated and non-rebated versions in DRE-Cell veneer and 3D veneer also excluding NESTOR and ELSA collections in rebated and non-rebated version in DRE-Cell veneer and 3D veneer, where handle and backplate come free-of-charge).


5. It is possible to purchase doors and door frames CENTRA (in this option there is no sockets for the lock and hinges - option is not available for fire doors, ENTER/SOLID, ENTER ACOUSTIC, SOLID RC2, FORCA B, Sara Eco, FOLDE) at a price of a similar product equipped with hardware and pre-milled sockets. CENTRA door frames come with door seal. Set does not include hardware.

# TECHNICAL INFORMATIONS

6. Under the current regulations, doors to the bathroom, wash room and a separate toilets must be opened to the outwards have width of at least 0,8 meter and height of 2 meter and also have on the bottom part openings with their total surface not smaller than 0,022 m<sup>2</sup>, in order to fulfill correct air circulation. Door ventilation surface is the sum of the available ventilation components: ventilation grille (ensures the ventilation surface of 0.022 m<sup>2</sup> in all widths of doors) or ventilation undercut or ventilation sleeves, and the surface of the ground clearance between door leaf and the floor.

Ensuring ventilation surface for rebated doors\*\*

Symbol of door leaf dimension	doors with ventilation sleeves		doors with ventilation undercut	
	ventilation surface of sleeves and the clearance 8 mm [m <sup>2</sup> ]	required clearance to meet ventilation requirements [in mm]	ventilation surface of the undercut and the clearance 8 mm [m <sup>2</sup> ]	required clearance to meet ventilation requirements [in mm]
"100"	0,011	19*	0,033	0
"90"	0,010	21*	0,029	1
"80"	0,009	24*	0,025	4
"70"	0,008	28*	0,021	14*
"60"	0,007	33*	0,018	35*



Ensuring ventilation surface for Sara Eco, SARA ECO 2 doors and all non-rebated doors

Symbol of door leaf dimension	doors with ventilation sleeves		doors with ventilation undercut	
	ventilation surface of sleeves and the clearance 8 mm [m <sup>2</sup> ]	required clearance to meet ventilation requirements [in mm]	ventilation surface of the undercut and the clearance 8 mm [m <sup>2</sup> ]	required clearance to meet ventilation requirements [in mm]
"100"	0,0112	19*	0,033	0
"90"	0,0104	21*	0,029	1
"80"	0,0096	23*	0,025	4
"70"	0,0082	27*	0,021	12*
"60"	0,0074	32*	0,018	31*

The above - stated required clearance height of the space under the door assures total ventilation surface of 0.022 m<sup>2</sup>. The standard clearance for door leaf is 8mm high.

\* it is necessary to increase the clearance to the specified height by shortening door leaf at the bottom (when such a shortening is possible - see\*\*)

\*\* Exceptions that are not included in the table (door leaf that can not be shortened):

- collection Vetro A, D and E - the use of ventilation undercut in the door with a width of "80" - "100" and a standard ground clearance of the door (8 mm) will fulfill ventilation requirements.


- Vetro B collection - does not meet the ventilation requirements.

- sliding door leaf - due to design of the sliding system (distance from the wall/tunnel - about 12 mm), door leaf meet ventilation requirement without need for additional options.


there is no possibility to shorten double leaf doors and folding doors FOLDE.

## VENTILATION UNDERCUT


standard ventilation undercut




ventilation undercut in VETRO D




ventilation undercut in VETRO A




ventilation undercut in door leaf with natural veneer with „70" - „90" width



ventilation undercut in VETRO E



ventilation undercut in VETRO B





## GALLA 1 decormat, GALLA 2 sandblasted glass, transparent stripes

Presented prices of the door leaves doesn't include prices of the door frames and door handles.

The price list is valid from 01/04/2021.

Producer provides 24 months of warranty for door leaves and door frames.

pictures and visualisations used in the catalog present door leaf in the width of 80 cm (it doesn't refer to side panels). In the case of other door leaf widths, the proportions of the placement of the design of the collection, glazing, frames, millings, graphics will change. More technical informations and informations referred to assembly process are available in product guarantee card.

This product catalogue shall not constitute an offer under the regulations of the Civil Code and is published only for information purposes. Information provided in this catalogue was up-to-date on the day the catalogue was published. Due to the company policy of constant development DRE reserves the right to introduce (without prior notice) of changes to technical parameters, equipment, extended warranty conditions and product specification. The actual colours may vary from the colours printed in this catalogue. We reserve the right to errors in print.

Technical approvals:

National Technical Assessment ITB-KOT-2019/0860 issue 1 (sliding system)

National Technical Assessment ITB-KOT-2018/0633 release 1 (FORCA, ATHOS fire doors)

Technical Approval ITB AT-15-8359/2010 (glass doors)

Technical Approval ITB AT-15-9673/2016 (folding doors and sliding system glass doors)

National Technical Assessment ITB-KOT-2017/0011 edition 2 (ENTER / SOLID / SOLID RC2)

National Technical Assessment ITB-KOT-2018/0407 issue 1 (OLIMP)

PN-EN 14351-2: 2018-E12 (interior doors)

National Technical Assessment ITB-KOT-2019/1132 edition 1 (SARA door leaf)

National Technical Assessment ITB-KOT-2019/0805 edition 1 (steel door frames)

**DRE**

wybór  
architektów



DYSTRIBUTOR

**DRE**

82-300 Elbląg - Gronowo Górne, ul. Nefrytowa 4  
Headquarters: phone 55 236 42 58  
Customer service department: phone 55 236 42 42 to 48  
fax 55 236 42 51  
Marketing department: phone 55 236 42 40  
working hours: 8:00 - 16:00  
e-mail: dre@dre.pl, eksport@dre.pl www.dre.pl